

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
24 June 2004 (24.06.2004)

PCT

(10) International Publication Number
WO 2004/053452 A2

(51) International Patent Classification⁷: **G01N**
(21) International Application Number:
PCT/US2003/034554
(22) International Filing Date: 31 October 2003 (31.10.2003)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/432,650 11 December 2002 (11.12.2002) US

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY** [US/US]; 3M Center, Post Office Box 33427, Saint Paul, MN 55133-3427 (US).

(72) Inventors: **GUPTA, Shalley, K.**; Post Office Box 33427, Saint Paul, MN 55133-3427 (US). **GHOSH, Tarun, K.**; Post Office Box 33427, Saint Paul, MN 55133-3427 (US). **FINK, Jason, R.**; Post Office Box 33427, Saint Paul, MN 55133-3427 (US).

(74) Agents: **GRAM, Christopher, D.** et al.; Office of Intellectual Property Counsel, Post Office Box 33427, Saint Paul, MN 55133-3427 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for all designations
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

- without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 2004/053452 A2

(54) Title: ASSAYS RELATING TO TOLL-LIKE RECEPTOR ACTIVITY

(57) Abstract: The present invention provides assays useful for detecting agonists of Toll-like receptors. The assays include providing a cell culture transfected with a nucleic acid sequence that encodes a reporter operably linked to a TLR-inducible expression control sequence.

ASSAYS RELATING TO TOLL-LIKE RECEPTOR ACTIVITY

Background of the Invention

Cells of the immune system secrete a diverse set of compounds including
5 cytokines, chemokines, co-stimulatory markers, and defensins in response to an immunological challenge.

Certain compounds known as immune response modifiers ("IRMs") possess potent immunostimulating activity including but not limited to antiviral and antitumor activity. Certain IRMs effect their immunostimulatory activity by, e.g., inducing the production and
10 secretion of certain cytokines while inhibiting production and secretion of other cytokines. Certain IRMs are small organic molecules such as those disclosed in, for example, U.S. Patent Nos. 4,689,338; 4,929,624; 5,266,575; 5,268,376; 5,352,784; 5,389,640; 5,482,936; 5,494,916; 6,110,929; 6,194,425; 4,988,815; 5,175,296; 5,367,076; 5,395,937; 5,693,811; 5,741,908; 5,238,944; 5,939,090; 6,245,776; 6,039,969; 6,083,969; 6,245,776; 6,331,539;
15 and 6,376,669; and PCT Publications WO 00/76505; WO 00/76518; WO 02/46188, WO 02/46189; WO 02/46190; WO 02/46191; WO 02/46192; WO 02/46193; and WO 02/46194.

Additional small molecule IRMs include purine derivatives (such as those described in U.S. Patent Nos. 6,376,50 and 6,028,076), small heterocyclic compounds
20 (such as those described in U.S. Patent No. 6,329,381), and amide derivatives (such as those described in U.S. Patent No. 6,069,149).

Other IRMs include large biological molecules such as oligonucleotide sequences. Some IRM oligonucleotide sequences contain cytosine-guanine dinucleotides (CpG) and are described, for example, in U.S. Patent Nos. 6,199,388; 6,207,646; 6,239,116;
25 6,339,068; and 6,406,705. Other IRM nucleotide sequences lack CpG and are described, for example, in International Patent Publication No. WO 00/75304.

Some of these IRMs induce cellular responses (e.g., the production and/or secretion of cytokines, chemokines, etc.) through one or more Toll-like receptors (TLRs). For example, certain small organic molecule IRMs are agonists of one or more of TLR-1,
30 TLR-2, TLR-4, TLR-6, TLR-7, and TLR-8. Additionally, CpG has been reported to act through TLR 9.

In certain cells of the immune system, TLR activation can be associated with activation of the transcription factor NF- κ B. NF- κ B activation is associated with certain cellular responses to an immunological challenge, such as the production and secretion of pro-inflammatory cytokines such as TNF- α , IL-1, IL-6, IL-8, IL-10, IL-12, MIP-1, and MCP-1. IRM induction of such cellular responses can be demonstrated by measuring activation of the transcription factor NF- κ B in response to exposing a cell to an IRM compound (See, e.g., Chuang *et al.*, *Journ. of Leuk. Biol.*, vol. 71, pp. 538-544 (2002), and Hemmi *et al.*, *Nature Immunology*, vol. 3(2), pp. 196-200 (2002)). Thus, NF- κ B activation can be used as a reporter of TLR activation. However, the extent of NF- κ B activation does not necessarily correlate with the extent of the downstream cellular response. This is so because the downstream cellular response may be modulated by one or more additional factors.

Summary of the Invention

The present invention provides assays for detecting activation of a TLR. The assays include providing a cell culture comprising cells transfected with a nucleic acid sequence that encodes a reporter that (a) generates a detectable signal when the reporter is expressed and the cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to an expression control sequence that is induced by activation of a TLR and comprises a cytokine promoter, a chemokine promoter, a co-stimulatory marker promoter, or a defensin promoter; exposing the cell culture to a compound that activates a TLR; providing conditions effective for generating the detectable signal; and detecting the detectable signal.

In another aspect, the present invention provides assays for identifying agonists of a TLR. The assays include providing a cell culture comprising cells transfected with a first nucleic acid sequence that comprises a nucleotide sequence that encodes a TLR operably linked to a first expression control sequence, and a second nucleic acid sequence that encodes a reporter that (a) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to a second expression control sequence that is induced by activation of a TLR; contacting the cell culture with a test compound; providing conditions effective for generating the detectable signal, thereby generating a TLR-

mediated detectable signal; and identifying the compound as an agonist of the TLR if a TLR-mediated detectable signal is detected.

In another aspect, the present invention provides assays for identifying antagonists of a TLR. These assays include providing a cell culture that comprises cells transfected with a first nucleic acid sequence that comprises a nucleotide sequence that encodes the TLR operably linked to a first expression control sequence, and a second nucleic acid sequence that encodes a reporter that (a) is operably linked to a second expression control sequence that is induced by activation of a TLR, and (b) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal; contacting the cell culture with an agonist of the TLR and a test compound; providing conditions effective for generating the detectable signal, thereby permitting the cell culture to generate a full TLR-mediated detectable signal in the absence of an antagonist of the TLR; measuring the detectable signal; and identifying the compound as an antagonist of the TLR if the detectable signal is less than a full TLR-mediated detectable signal.

In another aspect, the present invention provides a TLR agonists and TLR antagonists identified using an assay according to certain embodiments of the present invention.

In yet another aspect, the present invention provides pharmaceutical compositions including a TLR agonist or a TLR antagonist identified using an assay according to certain embodiments of the present invention.

Various other features and advantages of the present invention should become readily apparent with reference to the following detailed description, examples, and claims. In several places throughout the specification, guidance is provided through lists of examples. In each instance, the recited list serves only as a representative group and should not be interpreted as an exclusive list.

Detailed Description of Illustrative Embodiments of the Invention

The present invention provides assays that may be useful for detecting TLR activation based on detecting induction of a downstream cellular response to TLR activation (e.g., production or secretion of one or more immune system compounds such as cytokines or co-stimulatory markers) rather than NF- κ B activation. In some cases, the

cellular response may be mediated by NF- κ B, but in other cases the cellular response may be NF- κ B-independent. Thus, the present invention provides assays that may be useful for detecting a broader range of TLR activation than is possible by monitoring NF- κ B activation. This may provide an ability to identify certain TLR agonists that would not be
5 detected using an assay based on NF- κ B activation. The assays of the present invention also may provide a more relevant indication of the quantitative character of a particular cellular response to TLR activation by a particular TLR agonist.

In some cases, an assay according to the present invention may be useful for detecting TLR activation that is not accompanied by NF- κ B activation. Such an assay
10 may be employed to identify TLR agonists that do not necessarily also activate NF- κ B. Such TLR agonists may be useful for treatment or prevention of certain conditions in which the production and secretion of pro-inflammatory cytokines such as those induced by NF- κ B activation may be undesirable.

For purposes of this invention, the following terms shall have the meanings set
15 forth.

“Activation” refers to modifying the indicated protein so that the protein provides a biological function. For example, TLR activation refers to modifying a TLR, such as in response to exposure of the TLR to an agonist, so that the TLR is capable of inducing the production and secretion of certain cytokines.

20 “Agonist” refers to a compound that can combine with a receptor (e.g., a TLR) to produce a cellular response. An agonist may be a ligand that directly binds to the receptor. Alternatively, an agonist may combine with a receptor indirectly by, e.g., (a) forming a complex with another molecule that directly binds to the receptor, or (b) otherwise results in the modification of another compound so that the other compound directly binds to the
25 receptor. An agonist may be referred to as an agonist of a particular TLR (e.g., a TLR6 agonist).

“Amino acid sequence” refers to a particular ordered sequence of amino acids, whether naturally occurring or engineered.

30 “Antagonist” refers to a compound that can combine with a receptor (e.g., a TLR) to inhibit a cellular response. An antagonist may be a ligand that directly binds to the receptor. Alternatively, an antagonist may combine with a receptor indirectly by, e.g., (a) forming a complex with another molecule that directly binds to the receptor, or (b)

otherwise results in the modification of another compound so that the other compound directly binds to the receptor. An antagonist may be referred to as an antagonist of a particular TLR (e.g., a TLR6 antagonist). An antagonist may inhibit biological activity to any measurable extent.

5 “Co-transfect” and variations thereof refer to transfecting a host cell with more than one vector. A host cell may be co-transfected by transfecting with two or more vectors one at a time or in any convenient combination of vectors, including simultaneous transfection with all vectors.

 “Express/expression” refers to the ability of a cell to transcribe a structural gene to
10 mRNA, then translate the mRNA to synthesize a protein that provides a detectable biological or biochemical function. “Expressible” refers to the ability of a particular nucleic acid sequence to be expressed by a cell that contains the nucleic acid sequence.

 “Immune system compound” refers to any compound that is produced or secreted by cells of the immune system in response to an immunological challenge. Immune
15 system compounds include but are not limited to cytokines, chemokines, co-stimulatory markers, and defensins.

 “Inhibit” refers to any measurable reduction of biological activity.

 “IRM compound” refers to a compound that alters the level of one or more immune system compounds when administered to an IRM-responsive cell. Representative
20 IRM compounds include the small organic molecules, purine derivatives, small heterocyclic compounds, amide derivatives, and oligonucleotide sequences described above.

 “Nucleic acid sequence” refers generally to a region of DNA that has a definable function such as (a) encoding a peptide, polypeptide, or protein or (b) controlling
25 expression of a nucleic acid sequence that encodes a peptide, polypeptide, or protein. For example, a nucleic acid sequence that encodes TLR6 refers generically to any sequence of nucleotides that encodes a TLR6 protein, without regard to (a) the species source of the nucleic acid sequence, (b) specific nucleotide sequence variants, or (c) whether such nucleotide sequence variants are naturally occurring or engineered.

30 “Nucleotide sequence” refers to a particular ordered sequence of nucleotide bases, whether naturally occurring or engineered.

“TLR-mediated detectable signal” refers to a detectable signal or that portion of a detectable signal that is attributable to activation of a TLR expressed from a gene expression system transfected into a host cell. For example, a host cell may naturally generate a background level detectable signal (S_0), but generate a greater detectable signal (S_T) after being transfected with, and then expressing, a nucleic acid sequence that encodes a TLR. Thus, the TLR-mediated detectable signal (S_{TLR}) refers to the portion of the detectable signal generated by the transfected cell that is greater than background: $S_{TLR} = S_T - S_0$.

It has been found that induction of certain secreted proteins or polypeptides can be useful as reporters of TLR activation. For example, IFN- α is a cytokine secreted by such immune system cells as T lymphocytes, macrophages, plasmacytoid monocytes, dendritic cells, and natural killer cells. IFN- α is involved in regulating a host's innate and adaptive immune responses to an immunological challenge, perhaps by providing a link between the two responses [Brassard *et al.*, *Journal of Leukocyte Biology* 71: 565-581 (2002)]. The innate immune response can include the cell-mediated response of natural killer (NK) cells to a non-self (e.g., neoplastic) or foreign (e.g., viral) antigen. IFN- α also may indirectly regulate the balance between Th1 and Th2 cell populations and, therefore, the innate and adaptive immune responses. Moreover, induction of IFN- α is independent of NF- κ B activation.

Additionally, the production and secretion of NF- κ B-dependent cytokines can be useful as reporters of cellular responses resulting from immunological challenge. Detection and measurement of such cytokines may provide comparative qualitative data regarding a cell's response to immunological challenge that is more relevant to an investigator than NF- κ B activation data.

Thus, the present invention relates to assays designed to detect induction of immune system compounds. Such assays also may be useful for identifying compounds that induce expression of immune system compounds through TLRs. Parts of the following description are provided in the context of IFN- α induction and detection. However, many of the features of the embodiments described below also may be realized using assays designed to specifically detect or induce other immune system compounds. Thus, assays designed to specifically detect or induce other immune system compounds

having publicly available gene sequence information are explicitly included in the scope of the present invention.

Assay Tools

5 The assays of the present invention employ a recombinant cell line capable of inducing gene expression from an expression control sequence of a gene that encodes an immune system compound (e.g., IFN- α) in response to TLR activation. In some embodiments, for example, cells of the recombinant cell line, when exposed to a TLR agonist, can induce expression from an IFN- α promoter to a greater extent than cells of the
10 corresponding untransfected cell line. Cells of the untransfected cell lines may substantially lack a functional level of TLR expression (i.e., untransfected cells may not detectably induce expression from the IFN- α promoter in response to exposure to a TLR agonist). Alternatively, cells of the untransfected cell line may exhibit a baseline level of background TLR function, but the baseline level is less than the level of TLR function
15 observed in cells of the corresponding recombinant (i.e., transfected) cell line.

 Cells of certain recombinant cell lines include a first nucleic acid sequence that encodes a TLR operably linked to an expression control sequence. The cells also include a second nucleic acid sequence that encodes a reporter capable of generating a detectable signal when it is expressed in the recombinant cell under conditions suitable for generating
20 the detectable signal. The reporter is linked to a second expression control sequence that is capable of being induced by activation of the TLR encoded by the first nucleic acid sequence.

 The TLR encoded by the first nucleic acid sequence, when present, may be any TLR. Ten different human TLRs have been identified, cloned, and sequenced. TLRs also
25 are known to exist in other mammals including mice and chimpanzees. The nucleotide sequences of the ten human TLRs and many non-human TLRs are known, have been published, and are readily accessible from various sequence databases including GenBank. The first nucleic acid sequence may include any one of the TLRs for which the nucleotide sequence is known, whether human or non-human. In one embodiment, the TLR is human
30 TLR6; in another embodiment, the TLR is human TLR7. Alternatively, the first nucleic acid may encode any one of the ten human TLRs, any non-human TLR, or any combination of two or more TLRs that may be desirable for a particular construct.

The first nucleic acid sequence, when present, can include a nucleotide sequence that differs from the specific published nucleotide sequence for the TLR encoded by the first nucleic acid sequence. For example, the first nucleic acid sequence can contain one or more substitutions (compared to a published TLR nucleotide sequence) that do not alter the amino acid sequence of the TLR protein expressed from the first nucleic acid sequence. Such a substitution may be termed a degenerate substitution. Nucleotide sequences containing one or more degenerate substitutions compared to a known TLR nucleotide sequence are explicitly included within the scope of nucleotide sequences suitable for use within the first nucleic acid sequence.

As another example, certain nucleotide substitutions may alter the amino acid sequence of the TLR protein. For certain amino acid substitutions, however, the chemical properties of the protein having the altered amino acid sequence are similar to the chemical properties of the protein having the native amino acid sequence. Amino acids may be divided into four groups based on the chemical characteristics of the amino acid side groups: neutral, non-polar amino acids include glycine, alanine, valine, isoleucine, leucine, phenylalanine, proline, and methionine; neutral, polar amino acids include serine, threonine, tyrosine, tryptophan, asparagine, glutamine, and cysteine; acidic amino acids include aspartic acid and glutamic acid; and basic amino acids include lysine, arginine, and histidine. Substitution of one amino acid for another amino acid within the same group may have little or no functional effect on the resulting protein because of the similarity of the chemical characteristics of the amino acids involved in the substitution. Such amino acid substitutions may be termed a conservative amino acid substitution. Nucleotide sequences that, when compared to a known TLR nucleotide sequence, generate one or more conservative amino acid substitutions are explicitly included within the scope of nucleotide sequences suitable for use within the first nucleic acid sequence.

The nucleic acid sequence that encodes a TLR, if present, may be cloned into an expression vector so that it is under the expression control of its own promoter, a homologous TLR promoter, or any heterologous promoter inducible in an appropriate host cell. For example, in certain embodiments, the TLR6 structural gene may be cloned into the commercially available mammalian expression vector pCI-neo. In this case, the TLR6 structural gene may be cloned into the vector's cloning region using the *NheI* and *MluI* restrictions sites. In such an embodiment, after transfection of the vector into a

mammalian cell, the TLR6 structural gene is under the transcriptional control of the vector's CMV enhancer/promoter region.

The second nucleic acid sequence encodes a reporter that is capable of generating a detectable signal when expressed in a host cell under conditions appropriate for generating the desired detectable signal. A wide variety of suitable reporter systems are known. For example, luciferase gene expression may generate a detectable luminescent signal under appropriate conditions. As another example, β -galactosidase expression can generate a detectable color change under appropriate conditions. As yet another example, production and secretion of an immune system compound may be detected by an enzyme-linked immunosorbent assay (ELISA). These and other reporter systems are known and assays for generating the detectable signals are commercially available.

The second nucleic acid sequence is operably linked to a second expression control sequence that includes a promoter sequence selected to be inducible by activation of a TLR. Thus, expression and activation of a TLR, whether naturally expressed by the recombinant cell or encoded by the first nucleic acid sequence, will induce gene expression from the second expression control sequence, thereby causing expression of the reporter, which may be detected by performing an assay designed to detect expression of the reporter. The second expression control sequence may include any suitable nucleotide sequence that can induce expression (e.g., a promoter) of a structural gene upon activation of the TLR encoded by the first nucleic acid sequence. Nucleotide sequences suitable for use as second expression control sequences include promoter sequences of TLR-inducible genes including but not limited to genes encoding cytokines, chemokines, co-stimulatory markers, and defensins. In certain embodiments, the second expression control sequence includes an IFN- α 1 promoter.

When the reporter system being employed to detect TLR activation includes detecting production and secretion of an immune system compound with an appropriate ELISA assay, the second expression control sequence may include the promoter of the gene encoding the immune system compounds being expressed and detected as the reporter. However, in certain embodiments, it may be desirable to express the immune system compound from a heterologous promoter.

When the gene expression system includes both a first nucleic acid sequence and a second nucleic acid sequence, the first nucleic acid sequence and the second nucleic acid

sequence may be contained within a single vector. Alternatively, the first nucleic acid sequence and the second nucleic acid sequence may be on separate vectors and co-transfected into a suitable host cell. In certain embodiments, for example, the first nucleic acid sequence may be cloned into the pCI-neo vector as described above, while the second
5 nucleic acid sequence can be cloned into a reporter vector. One example of a commercially available reporter vector is the pGL3-Enhancer vector, which includes a luciferase reporter gene downstream of a cloning site for cloning a promoter sequence of interest. In some embodiments, the promoter of a TLR-inducible immune system compound may be cloned into the pGL3-Enhancer cloning site. In one such embodiment,
10 the IFN- α promoter may be cloned into the pGL3-Enhancer cloning site.

Suitable host cells include any transfectable cells capable of expressing exogenous mammalian genes. In some embodiments, the host cells may be mammalian cells such as human cells or mouse cells. For example, suitable host cells include human cells or descendants of a human cell including but not limited to Namalwa cells or HEK293 cells.
15 Alternatively, the host cells may be mouse cells or descendants of a mouse cell including but not limited to RAW 264.7 cells.

In one embodiment, the host cells include Namalwa cells. Namalwa cells have certain characteristics that may be particularly desirable for certain embodiments of the present invention. For example, Namalwa cells can include an expressible chromosomal IFN- α gene locus. Thus, upon appropriate stimulation (e.g., viral infection), Namalwa
20 cells can be induced to produce and secrete IFN- α from the chromosomal IFN- α gene locus. However, Namalwa cells do not naturally express certain TLRs (e.g., TLR6, TLR7, or TLR9). Certain agonists of such TLRs have been shown to induce IFN- α expression in other cell types (e.g., PMBCs), but may not induce IFN- α expression in Namalwa cells
25 unless a functional level of TLR expression is provided.

Namalwa cells transfected with an appropriate gene expression system may be capable of expressing a functional level of the TLR provided by the expression system. Thus, Namalwa cells transfected with an appropriate expression system may inducibly express IFN- α as a result of activating the cloned TLR (e.g., by exposure of the transfected
30 Namalwa cells to an agonist). Thus, certain transfected cell lines permit one to identify a TLR agonist using an assay that detects TLR-mediated IFN- α expression by Namalwa cells.

Namalwa cells transfected with certain expression systems can provide alternative means of detecting TLR activation and, therefore, alternate assays for identifying TLR agonists. First, Namalwa cells transfected with an appropriate expression system may generate a detectable signal as a result of TLR-mediated expression of the expression system reporter (see Table 2). Second, Namalwa cells transfected with an expression system that provides functional TLR activity may provide TLR-mediated IFN- α expression from the chromosomal IFN- α gene locus.

Assays

Assays according to the present invention may be performed using any suitable recombinant cell line. The recombinant cell line may be constructed by transfecting any suitable expression system into any suitable host cell. In the description of particular assays that follow, certain assay tools such as particular recombinant cell lines, particular gene expression systems, or particular host cells may be identified. However, many alternative assay tools may provide the features of the tools specifically identified and, consequently, may be suitable for use in assays according to the present invention. Such alternative embodiments are explicitly included in the scope of the present invention.

Also, each assay may or may not be performed in conjunction with one or more appropriate controls. Controls may be performed to assist in quantifying results or to ensure that the assay is performing as intended. However, with experience, one skilled in the art may develop sufficient familiarity with a particular assay that performing a control may not always be necessary to perform an assay of the present invention.

In some embodiments, assays according to the present invention may be designed to detect activation of a TLR. Such assays include providing a recombinant cell line having an appropriate gene expression system. Generally, an appropriate gene expression system includes a reporter that is (a) capable of generating a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions that are appropriate for generating the detectable signal, and (b) operably linked to an expression control sequence that is capable of being induced by an activated TLR. The assays also include exposing the recombinant cell line to a TLR agonist, thereby activating the TLR and inducing expression of the reporter from the TLR-inducible expression control sequence; providing conditions appropriate for generating the reporter's detectable signal, thereby

generating a detectable signal from the expressed reporter; and detecting the detectable signal, thereby detecting activation of the TLR.

In certain embodiments, the expression control sequence to which the reporter is operably linked may be a promoter of a TLR-inducible protein including but not limited to
5 a cytokine, a chemokine, a co-stimulatory marker, or a defensin.

The recombinant cell line may be derived from a host cell that naturally expresses a functional level of one or more TLRs. In such embodiments, the gene expression system is not required to include a nucleic acid sequence that encodes a TLR. However, the gene expression system may include a nucleic acid sequence that encodes a TLR. For such
10 assays, it may be desirable to measure any background level of detectable signal generated by the recombinant cell line before transfection with the nucleic acid sequence that encodes the TLR. In this way, one can obtain an indication of the extent of the detectable signal that is attributable to activation of the TLR expressed from the expression system if such an indication is desired.

When the gene expression system includes a nucleic acid sequence that encodes a TLR, one may select any TLR from any species for inclusion in the expression system. Accordingly, the nucleic acid sequence that encodes the TLR may include any one of the published TLR nucleotide sequences, any nucleotide sequence containing one or more degenerate variants of a published TLR nucleotide sequence, any nucleotide sequence that
20 encodes a published TLR amino acid sequence, or any nucleotide sequence that encodes a protein having one or more conservative amino acid substitutions compared to a published TLR amino acid sequence.

In some embodiments in which the recombinant cell line includes a nucleic acid sequence encoding a TLR, a single vector may contain a first nucleic acid sequence that
25 encodes the reporter and a second nucleic acid sequence that encodes the TLR. Alternatively, the first nucleic acid sequence and the second nucleic acid sequence may exist on separate vectors so that the host cells must be co-transfected with both vectors in order for the recombinant cell line to include entire gene expression system.

The gene expression system may include any suitable reporter operably linked to
30 any suitable TLR-inducible expression control sequence. Suitable reporters are described in the detailed description of the gene expression system included in the description of assay tools provided above.

In one particular embodiment, the recombinant cell line is derived from the human lymphoblastoid Namalwa cell line. Namalwa cells lack a functional level of TLR6 activity. The recombinant cell line is obtained by co-transfecting Namalwa cells with two vectors that, together, provide a gene expression system: the first vector includes a nucleic acid sequence that encodes human TLR6 operably linked to an expression control
5 sequence; the second vector contains a nucleic acid sequence that encodes a luciferase reporter gene that is operably linked to an IFN- α promoter. The IFN- α promoter is inducible by activation of TLR6. A culture of the recombinant cells is contacted with an agonist of TLR6, thereby activating TLR6 that has been expressed from the first vector of
10 gene expression system. The activation of TLR6 induces expression from the IFN- α promoter on the second vector of the gene expression system. Expression from the IFN- α promoter results in expression of the luciferase reporter gene. The recombinant cells, which are now expressing the luciferase reporter, are contacted with a luciferase reagent that generates a luminescent signal when allowed to react with luciferase. Detection of the
15 luminescent signal indicates expression of the luciferase reporter from the IFN- α promoter that, in turn, indicates activation of TLR6.

As indicated above in the detailed description of the assay tools, various suitable reporter systems may be used in alternative embodiments of assays according to the present invention. Also as indicated above, one feature of constructing the recombinant
20 cell line from Namalwa host cells is the cells can produce and secrete IFN- α expressed from the chromosomal IFN- α gene locus of the Namalwa cell. Thus, detection of IFN- α production (e.g., by ELISA) may be used as a reporter of TLR activation. When used in conjunction with a reporter encoded by the gene expression system, the use of two independent reporters may provide certain embodiments of the assays of the present
25 invention with an internal control.

In some alternative embodiments, assays according to the present invention may be designed to identify agonists of a particular TLR. Generally, such assays include providing a recombinant cell line constructed by transfecting host cells with a gene expression system that includes (a) a first nucleic acid sequence that encodes a particular
30 TLR, and (b) a second nucleic acid sequence that encodes a reporter operably linked to an expression control sequence that is inducible by activation of the TLR encoded by the expression system. The assays also include contacting cell cultures of the recombinant

cell line with one or more test compounds, and then exposing the cell cultures to conditions effective for generating a detectable signal from the reporter in the event that the reporter is expressed. Detection of a TLR-mediated detectable signal indicates that expression of the reporter is at least partially attributable to activation of the TLR by the test compound, thereby identifying the test compound as an agonist of the TLR.

As with the assays described above that are designed for detecting TLR activation, assays for detecting TLR agonists include a gene expression system that may include one or more vectors, a nucleic acid sequence that encodes any suitable reporter, and any suitable TLR-inducible expression control sequence. Furthermore, the gene expression system can include a nucleic acid sequence that encodes any particular TLR. Thus, an assay may be designed to identify agonists of any particular TLR.

Detection of a TLR-mediated detectable signal may include a determination of background detectable signal generated by the recombinant cell line prior to transfection with a nucleic acid sequence that encodes a particular TLR. A recombinant cell line may, in some embodiments, naturally possess a certain level of TLR expression that can induce expression of the reporter, thereby generating background signal. Alternatively, background expression of the reporter may result from induction of the expression control sequence that regulates expression of the reporter coming from an alternative (i.e., non-TLR) source. Once a background level of detectable signal is determined for the recombinant cell line, it may not be necessary to determine the background signal generation every time the assay is performed.

In one particular embodiment, the recombinant cell line includes Namalwa cells, cells that lack a functional level of natural TLR6 expression. The recombinant cell line is constructed by co-transfecting Namalwa cells with a gene expression system that includes two vectors: a first vector that includes a first nucleic acid sequence that encodes human TLR6 operably linked to an expression control sequence; and a second vector that includes a second nucleic acid sequence that encodes a luciferase reporter operably linked to an IFN- α promoter. The first nucleic acid sequence permits the recombinant cells to functionally express TLR6. The second nucleic acid sequence allows one to detect activation of the TLR6 expressed from the first nucleic acid sequence.

In this particular embodiment, a culture of the recombinant cells is dispensed into wells of a multi-well test plate. A different test compound is added to each well. A test

compound that acts as a TLR6 agonist will activate the TLR6 expressed from the first vector of the gene expression system, thereby inducing expression from the IFN- α promoter operably linked to the luciferase reporter on the second vector of the gene expression system. The recombinant cells, which are now expressing the luciferase reporter, are contacted with a luciferase reagent that generates a TLR-mediated detectable signal only when the luciferase reporter is expressed. Detection of a TLR-mediated detectable signal in a particular well of the multi-well plate indicates expression of the luciferase reporter from the IFN- α promoter that, in turn, indicates activation of TLR6 by the test compound added to the recombinant cells in that well. A test compound that activates TLR6 is an agonist of TLR6.

Test compounds may be added to wells containing recombinant cells in any manner appropriate for the design of a particular assay. For example, the same test compound may be added to each of a plurality of wells, thereby generating multiple data points for that test compound. Alternatively, a different test compound may be added to each well. In this way, the number of test compounds that can be screened in a single assay can be maximized. In some embodiments, test compound may even be omitted from a certain number of wells, e.g., in order to generate one or more controls.

In another particular embodiment, the assay may be designed to identify agonists of TLR7 by designing the recombinant cell line to include a gene expression system that includes a nucleic acid sequence that encodes human TLR7. In all other respects, the assay may be performed as described above for the detection of TLR6 agonists.

Additional alternative embodiments include assays that are designed to identify agonists of any one of the human TLRs or any non-human TLR merely by designing the gene expression system to include a nucleic acid sequence that encodes the desired TLR.

The present invention also provides TLR agonist compounds identified using an assay according to certain embodiments of the present invention. As described above, the expression systems and recombinant cell lines may provide the ability to design assays that can identify TLR agonists that are not detectable using previously known TLR activation assays. The TLR agonists may include chemical structures similar in certain respects to the chemical structures of known IRM compounds. Alternatively, assays according to the present invention may be used for screening (e.g., high throughput screening) chemically diverse compounds that may lead to the discovery of new TLR

agonists, some of which may contain new chemical core structures capable of activating TLRs.

The present invention also provides pharmaceutical compositions containing a TLR agonist identified using an assay according to the present invention, or a
5 pharmaceutically acceptable salt thereof, in an amount effective for inducing a TLR-mediated cellular response.

In still other embodiments, assays according to the present invention may be designed to identify antagonists of a particular TLR. Generally, an assay may be designed to identify an antagonist of a particular TLR by designing the recombinant cell line to
10 include a gene expression system having (a) a first nucleic acid sequence that encodes a particular TLR, and (b) a second nucleic acid sequence that encodes a reporter operably linked to a TLR-inducible expression control sequence. Aliquots of the recombinant cell line may be dispensed into wells of a multi-well test plate. A different test compound can be added to each well, and then a known agonist of the particular TLR can be added to
15 each well. In such assays, the agonist of the particular TLR will induce expression of the reporter and generation of a detectable signal unless the test compound acts as an antagonist of the particular TLR. Therefore, antagonists of the particular TLR can be identified by detecting wells exhibiting something less than a full TLR-mediated detectable signal.

20 As with the assays described above that are designed for identifying TLR agonists, assays for detecting TLR antagonists include a gene expression system that may include one or more vectors, a nucleic acid sequence that encodes any suitable reporter, any suitable TLR-inducible expression control sequence, and a nucleic acid sequence that encodes any particular TLR. Thus, an assay may be designed to identify antagonists of
25 any particular TLR.

In one particular embodiment, an assay that identifies antagonists of human TLR6 may be designed using the recombinant cell line described above for the identification of TLR6 agonists. The recombinant cells are dispensed into the wells of a multi-well test plate. A different test compound is added to each well. A known TLR6 agonist such as
30 any one of the IRM compounds listed in Table 1 can be added to each well.

Generation and detection of the TLR-mediated detectable signal can be performed as described above for assays designed to detect TLR activation or identify TLR agonists.

The TLR-mediated detectable signal from each well can be compared to a standard full TLR-mediated detectable signal or to a positive control. Test compounds that inhibit the TLR-mediate detectable signal compared to the standard or the positive control can be identified as antagonists of TLR6.

5 In alternative embodiments, test compounds may be added to the wells in any desired manner, as described above with regard to assays designed to identify TLR agonists.

 Other alternative embodiments include assays designed to identify antagonists of any one of the human TLRs or any non-human TLR. Such alternative embodiments may
10 be performed by designing the gene expression system to include a nucleic acid sequence that encodes the desired TLR.

 The present invention also provides TLR antagonist compounds identified using an assay according to certain embodiments of the present invention. As described above, the expression systems and recombinant cell lines may provide the ability to design assays
15 that can identify TLR antagonists that are not detectable using previously known TLR activation assays. The TLR antagonists may include chemical structures similar in certain respects to the chemical structures of known IRM compounds. Alternatively, assays according to the present invention may be used for screening (e.g., high throughput screening) chemically diverse compounds that may lead to the discovery of new TLR
20 antagonists, some of which may contain new chemical core structures capable of activating TLRs.

 The present invention also provides pharmaceutical compositions containing a TLR antagonist identified using an assay according to the present invention, or a pharmaceutically acceptable salt thereof, in an amount effective for inhibiting a TLR-
25 mediated cellular response.

Examples

 The following examples have been selected merely to further illustrate features, advantages, and other details of the invention. It is to be expressly understood, however,
30 that while the examples serve this purpose, the particular materials and amounts used as well as other conditions and details are not to be construed in a matter that would unduly limit the scope of this invention.

Construction of vectors

The vector pIFN- α 1-luc was constructed by inserting BglII sites at both ends of the human IFN- α 1 promoter (SEQ ID NO:21). The BglII sites were inserted into the IFN- α 1 promoter and the sequence was amplified using the primer pair of SEQ ID NO:22 and SEQ ID NO:23. The amplified IFN- α 1 promoter was cloned into the pGL3-Enhancing vector (Promega Corp., Madison, WI) at the BglII site.

The vector pCI-TLR6 was constructed by inserting SEQ ID NO:11 (GenBank Accession No. NM 006068), which includes the human TLR6 coding sequence, into the pCI-neo mammalian expression vector (Promega Corp.) at the vector's NheI and MluI restriction sites.

Transfections

Unless otherwise indicated, all incubations were performed at 37°C with 5% CO₂ at 98% humidity.

Culture medium was prepared from complete RPMI 1640 medium (BioSource International, Inc., Camarillo, CA). Fetal bovine serum (Atlas Biologicals, Inc., Ft. Collins, CO) was added to a final concentration of 7.5% (vol/vol); L-glutamine (BioSource International, Inc.) was added to 5 mM; and sodium pyruvate (BioSource International, Inc.) was added to 1 mM.

Burkitt's Lymphoma lymphoblastoid Namalwa cells (ATCC Accession No. CRL-1432) were grown by incubation in culture medium overnight. Cells were harvested by centrifugation in a tabletop centrifuge (1200 RPM for 5 minutes), and then resuspended in phosphate buffered sucrose to a concentration of 1.3×10^7 cells per milliliter.

For each transfection, a 750 μ L aliquot of the cell suspension was placed in an electroporation cuvette with 4 mm gaps. 10 μ g of the pIFN- α 1-luc vector and 10 μ g of the pCI-TLR6 vector were added to the electroporation cuvette. The cell and vector mixtures were incubated at room temperature for 5 minutes. The cells were electroporated using a BioRad Gene Pulser (BioRad Laboratories, Hercules, CA) set to at 500 μ F capacitance and 0.27 volts, then incubated at room temperature for 5 minutes.

The electroporated cells were suspended in 10 mLs of culture medium and incubated overnight. Dead cells and debris were removed after 24 hours using a MACS

Dead Cell Removal kit (Miltenyi Biotec, Auburn, CA). Cells were resuspended in 10 mLs of culture medium and incubated for an additional 24 hours.

Transfected cells were selected by adding G418 (Promega Corp., Madison, WI) to a final concentration of 1 mg/mL and incubating the cells for seven days.

5

Assays

The selected transfected cells were counted and resuspended to a concentration of 1×10^6 cell per mL in culture medium. 100 μ L aliquots of cells were placed in the wells of a white-walled, white-bottomed 96-well plate (Corning, Inc. Corning, NY). 1.0 μ L of an IRM compound from Table 1 (prepared at 1 mM in 100% DMSO) was added to some cell aliquots so that the final concentration of IRM compound was 10 μ M. As a positive control, some cell aliquots were incubated with Sendai virus instead of IRM compound. As a negative control, some cell aliquots were incubated with DMSO without IRM compound. In all cases, the cells were incubated for 18 hours.

15

Table 1 - IRM Compounds

Compound	Chemical Name	Citation
IRM 1	4-amino-2-ethoxymethyl- α,α -dimethyl-6,7,8,9-tetrahydro-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinoline-1-ethanol	U.S. 5,352,784 Example 91
IRM 2	4-amino- α,α ,2-trimethyl-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinoline-1-ethanol	U.S. 5,266,575 Example C1
IRM 3	N-[4-(4-amino-2-butyl-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinolin-1-yl)butyl]methanesulfonamide	U.S. 6,331,539 Example 6
IRM 4	1-{2-[3-(3-pyridyl)propoxy]ethyl}-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinolin-4-amine	WO 02/46193 Example 33
IRM 5	2-butyl-1-(2-methylpropyl)-1 <i>H</i> -imidazo[4,5- <i>c</i>][1,5]naphthyridin-4-amine	U.S. 6,194,425 Example 39
IRM 6	2-butyl-6,7,8,9-tetrahydro-1-(2-methylpropyl)-1 <i>H</i> -imidazo[4,5- <i>c</i>][1,5]naphthyridin-4-amine	U.S. 6,194,425 Example 40
IRM 7	N ³ -{4-[4-amino-2-(2-methoxyethyl)-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinolin-1-yl]butyl}-6-(1 <i>H</i> -1-pyrrolyl)nicotinamide	U.S. 6,451,810 Example 60
IRM 8	2-ethyl-1-[5-(methylsulfonyl)pentyl]-1 <i>H</i> -imidazo[4,5- <i>c</i>]quinolin-4-amine	WO 02/46192 Example 13

The plates were equilibrated to room temperature before 1 volume of reconstituted LucLight Plus (Packard Instruments, Meriden, CT) was added to each aliquot of cells. Each well of the plate was read on an LJJ Analyst (LJJ Biosystems, Inc., Sunnyvale, CA) set with a 5 minute dark adapt. Data from a representative experiment are shown in Table 2. The data are expressed as the fold increase in luciferase induction off of the IFN- α 1 promoter in cell aliquots incubated with the indicated stimulant compared to the negative control in which the cell aliquots were incubated with only DMSO.

Table 2 - TLR Expression by pIFN- α 1-luc/pCI-TLR6 Co-Transfected Namalwa cells

<u>Stimulant</u>	<u>Fold Increase in Luciferase Induction</u>
IRM1	3.6
IRM2	2.7
IRM3	2.6
IRM4	4.0
IRM5	3.2
IRM6	2.9
IRM7	3.2
IRM8	2.3
Sendai virus	2.7

The complete disclosures of the patents, patent documents, and publications cited herein are incorporated by reference in their entirety as if each were individually incorporated. In case of conflict, the present specification, including definitions, shall control.

Various modifications and alterations to this invention will become apparent to those skilled in the art without departing from the scope and spirit of this invention. Illustrative embodiments and examples are provided as examples only and are not intended to limit the scope of the present invention. The scope of the invention is limited only by the claims set forth as follows.

What is Claimed is:

1. A method of detecting activation of a TLR in a cell comprising:
providing a cell culture comprising cells transfected with a nucleic acid sequence
that encodes a reporter that (a) generates a detectable signal when the reporter is expressed
5 and the cell is exposed to conditions effective for generating the detectable signal, and (b)
is operably linked to an expression control sequence that is induced by activation of a TLR
and comprises a cytokine promoter, a chemokine promoter, a co-stimulatory marker
promoter, or a defensin promoter;
exposing the cell culture to a compound that activates a TLR;
10 providing conditions effective for generating the detectable signal; and
detecting the detectable signal.
2. The method of claim 1 wherein the expression control sequence comprises an IFN-
 α promoter.
- 15 3. The method of claim 1 wherein the detectable signal comprises luciferase activity,
 β -galactosidase activity, or a positive signal from an enzyme-linked immunosorbent assay.
4. The method of claim 1 wherein the cell culture comprises mammalian cells or
20 descendants of a mammalian cell.
5. The culture cell of claim 4 wherein the cell culture comprises human cells or
descendants of a human cell.
- 25 6. The method of claim 1 wherein the cells are further transfected with a second
nucleic acid sequence that encodes a TLR operably linked to a second expression control
sequence.
- 30 7. The method of claim 6 wherein the first nucleic acid sequence comprises the
nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ
ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID
NO:19, or a degenerate variant of any of the foregoing.

8. The method of claim 6 wherein the first nucleic acid sequence comprises a nucleotide sequence that encodes a polypeptide having the sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID
5 NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, or any one of the foregoing sequences with one or more conservative amino acid substitutions.

9. The method of claim 6 wherein the nucleic acid sequence that encodes the reporter and the second nucleic acid sequence are contained on a single vector.
10

10. The method of claim 6 wherein the nucleic acid sequence that encodes the reporter is contained on a first vector and the second nucleic acid sequence is contained on a second vector.

11. A method of identifying a TLR agonist comprising:
providing a cell culture comprising cells transfected with:
a first nucleic acid sequence that comprises a nucleotide sequence that encodes a TLR operably linked to a first expression control sequence and
a second nucleic acid sequence that encodes a reporter that (a) generates a
20 detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal, and (b) is operably linked to a second expression control sequence that is induced by activation of a TLR;
contacting the cell culture with a test compound;
providing conditions effective for generating the detectable signal, thereby
25 generating a TLR-mediated detectable signal; and
identifying the compound as an agonist of the TLR if a TLR-mediated detectable signal is detected.

12. The method of claim 11 wherein the first nucleic acid sequence comprises the nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ
30 ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, or a degenerate variant of any of the foregoing.

13. The method of claim 11 wherein the first nucleic acid sequence comprises a nucleotide sequence that encodes a polypeptide having the sequence of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, or any one of the foregoing sequences with one or more conservative amino acid substitutions.
14. The method of claim 11 wherein the second expression control sequence comprises an IFN- α promoter.
15. The method of claim 11 wherein the detectable signal comprises luciferase activity, β -galactosidase activity, or a positive signal from an enzyme-linked immunosorbent assay.
16. The method of claim 11 wherein the cell culture comprises mammalian cells or descendents of a mammalian cell.
17. The method of claim 16 wherein the cell culture comprises human cells or descendents of a human cell.
18. The method of claim 11 wherein the first nucleic acid sequence and the second nucleic acid sequence are included in a single vector.
19. The method of claim 11 wherein the first nucleic acid sequence and the second nucleic acid sequence are located on separate vectors.
20. The method of claim 19 wherein the cell culture comprises cells co-transfected with the separate vectors.
21. The method of claim 11 wherein the cell culture comprises cells that, prior to transfection with the first nucleic acid sequence, exhibit no detectable function of the Toll-like receptor encoded by the first nucleic acid sequence.

22. The method of claim 11 wherein the second expression control sequence comprises a cytokine promoter, a chemokine promoter, a co-stimulatory marker promoter, or a defensin promoter

5

23. A TLR agonist identified by the method of claim 11.

24. A pharmaceutical composition comprising a TLR agonist identified by the method of claim 23 or a pharmaceutically acceptable salt thereof.

10

25. A method of identifying an antagonist of a TLR comprising:
providing a cell culture that comprises cells transfected with:

a first nucleic acid sequence that comprises a nucleotide sequence that encodes the TLR operably linked to a first expression control sequence, and

15

a second nucleic acid sequence that encodes a reporter that (a) is operably linked to a second expression control sequence that is induced by activation of the TLR, and (b) generates a detectable signal when the reporter is expressed and the transfected cell is exposed to conditions effective for generating the detectable signal;

contacting the cell culture with an agonist of the TLR and a test compound;

20

providing conditions effective for generating the detectable signal, thereby permitting the cell culture to generate a full TLR-mediated detectable signal in the absence of an antagonist of the TLR;

measuring the detectable signal; and

identifying the compound as an antagonist of the TLR if the detectable signal is less than a full TLR-mediated detectable signal.

25

26. A TLR antagonist identified by the method of claim 25.

27. A pharmaceutical composition comprising a TLR antagonist identified by the method of claim 26 or a pharmaceutically acceptable salt thereof.

30

58183US002.ST25.txt
SEQUENCE LISTING

<110> Gupta, Shalley K.
Ghosh, Tarun K.
Fink, Jason R.

<120> Assays Relating to Toll-Like Receptor Activity

<130> 58183w0003

<160> 23

<170> PatentIn version 3.2

<210> 1
<211> 2832
<212> DNA
<213> Homo sapiens

<400> 1
acagactgcc aaatggaaca gacaagcagg ttgtcttggtg ttaaagaaaa tgagatatga 60
gtcagttact cccggaggca atgctgctgt tcagctcttg tgtttttgtg gccagggtct 120
tcatgaacac taataggggt accaggccct cttccttggt agaagaaatc aggataacaa 180
aggtatatgtt ggcaccccta caaaaggaat ctgtatctgt atcaagatga tctgaagaac 240
agcttctacc ttttaggaatg tctagtgttc caaaatgact agcatcttcc attttgccat 300
tatcttcatg ttaatacttc agatcagaat acaattatct gaagaaagtg aatttttagt 360
tgataggtca aaaaacggtc tcatccacgt tcctaaagac ctatcccaga aaacaacaat 420
cttaaatata tcgcaaaatt atatatctga gctttggact tctgacatct tatcactgtc 480
aaaactgagg attttgataa tttctcataa tagaatccag tatcttgata tcagtgtttt 540
caaatcaac caggaattgg aatacttggg tttgtccac aacaagttgg tgaagatttc 600
ttgccaccct actgtgaacc tcaagcactt ggacctgtca tttaatgcat ttgatgccct 660
gcctatatgc aaagagtttg gcaatatgtc tcaactaaaa tttctggggt tgagcaccac 720
acacttagaa aaatctagtg tgctgccaat tgctcatttg aatatcagca aggtcttgct 780
ggctcttaga gagacttatg gggaaaaaga agaccctgag ggccttcaag actttaacac 840
tgagagtctg cacattgtgt tccccacaaa caaagaattc cattttattt tggatgtgtc 900
agtcaagact gtagcaaatc tggaactatc taatatcaaa tgtgtgctag aagataacaa 960
atgttcttac ttcctaagta ttctggcgaa acttcaaaca aatccaaagt tatcaagtct 1020
taccttaaac aacattgaaa caacttgga ttttttcatt aggatcctcc agctgggttg 1080
gcatacaact gtatggtatt tctcaatttc aaacgtgaag ctacagggtc agctggactt 1140
cagagatttt gattattctg gcacttcctt gaaggccttg tctatacacc aagttgtcag 1200
cgatgtgttc ggttttccgc aaagttatat ctatgaaatc ttttcgaata tgaacatcaa 1260
aaatttcaca gtgtctggta cagcatggt ccacatgctt tgcccatcca aaattagccc 1320

58183US002.ST25.txt

```

gttcctgcat ttggatTTTT ccaataatct cttaacagac acggtTTTTg aaaattgtgg 1380
gcaccttact gagttggaga cacttatttt acaaatgaat caattaaaag aactttcaaa 1440
aatagctgaa atgactacac agatgaagtc tctgcaacaa ttggatatta gccagaattc 1500
tgtaagctat gatgaaaaga aaggagactg ttcttgact aaaagtttat taagtttaaa 1560
tatgtcttca aatatactta ctgacactat tttcagatgt ttacctcca ggatcaagggt 1620
acttgatctt cacagcaata aaataaagag cattcctaaa caagtcgtaa aactggaagc 1680
tttgcaagaa ctcaatgttg ctttcaattc ttttaactgac cttcctggat gtggcagctt 1740
tagcagcctt tctgtattga tcattgatca caattcagtt tcccacccat cagctgattt 1800
cttcagagc tgccagaaga tgaggtcaat aaaagcaggg gacaatccat tccaatgtac 1860
ctgtgagcta ggagaatttg tcaaaaatat agaccaagta tcaagtgaag tgttagaggg 1920
ctggcctgat tcttataagt gtgactaccg ggaaagttat agaggaaacc tactaaagga 1980
ctttcacatg tctgaattat cctgcaacat aactctgctg atcgtcacca tcgttgccac 2040
catgctggtg ttggtctgta ctgtgacctc cctctgcatc tacttgatc tgccctggtg 2100
tctcaggatg gtgtgccagt ggaccagac ccggcgagg gccaggaaca tacccttaga 2160
agaactccaa agaaatctcc agtttcatgc atttatttca tatagtgggc acgattcttt 2220
ctgggtgaag aatgaattat tgccaaacct agagaaagaa ggtatgcaga ttgccttca 2280
tgagagaaac ttgttcctg gcaagagcat tgtggaaaat atcatcacct gcattgagaa 2340
gagttacaag tccatctttg ttttgtctcc caactttgtc cagagtgaat ggtgccatta 2400
tgaactctac ttgcccac acaatctctt tcatgaagga tctaatagct taatcctgat 2460
cttgctggaa ccattccgc agtactccat tcctagcagt taccacaagc tcaaaagtct 2520
catggccagg aggacttatt tggaatggc caaggaaaag agcaaactg gccttttttg 2580
ggctaactta agggcagcca ttaatatata gctgacagag caagcaaaga aatagattac 2640
acatcaagtg aaaaatattc ctctgttga tattgctgct ttggaagtt ccaacaatga 2700
ctttattttg catcagcata gatgtaaaca caattgtgag tgtatgatgt aggtaaaaat 2760
atataccttc gggtcgcagt tcaccattta tatgtggtat taaaaattaa tgaaatgata 2820
taactttgat tt 2832

```

<210> 2
 <211> 786
 <212> PRT
 <213> Homo sapiens

<400> 2

Met Thr Ser Ile Phe His Phe Ala Ile Ile Phe Met Leu Ile Leu Gln
 1 5 10 15

58183US002.ST25.txt

Ile Arg Ile Gln Leu Ser Glu Glu Ser Glu Phe Leu Val Asp Arg Ser
 20 25 30
 Lys Asn Gly Leu Ile His Val Pro Lys Asp Leu Ser Gln Lys Thr Thr
 35 40 45
 Ile Leu Asn Ile Ser Gln Asn Tyr Ile Ser Glu Leu Trp Thr Ser Asp
 50 55 60
 Ile Leu Ser Leu Ser Lys Leu Arg Ile Leu Ile Ile Ser His Asn Arg
 65 70 75 80
 Ile Gln Tyr Leu Asp Ile Ser Val Phe Lys Phe Asn Gln Glu Leu Glu
 85 90 95
 Tyr Leu Asp Leu Ser His Asn Lys Leu Val Lys Ile Ser Cys His Pro
 100 105 110
 Thr Val Asn Leu Lys His Leu Asp Leu Ser Phe Asn Ala Phe Asp Ala
 115 120 125
 Leu Pro Ile Cys Lys Glu Phe Gly Asn Met Ser Gln Leu Lys Phe Leu
 130 135 140
 Gly Leu Ser Thr Thr His Leu Glu Lys Ser Ser Val Leu Pro Ile Ala
 145 150 155 160
 His Leu Asn Ile Ser Lys Val Leu Leu Val Leu Gly Glu Thr Tyr Gly
 165 170 175
 Glu Lys Glu Asp Pro Glu Gly Leu Gln Asp Phe Asn Thr Glu Ser Leu
 180 185 190
 His Ile Val Phe Pro Thr Asn Lys Glu Phe His Phe Ile Leu Asp Val
 195 200 205
 Ser Val Lys Thr Val Ala Asn Leu Glu Leu Ser Asn Ile Lys Cys Val
 210 215 220
 Leu Glu Asp Asn Lys Cys Ser Tyr Phe Leu Ser Ile Leu Ala Lys Leu
 225 230 235 240
 Gln Thr Asn Pro Lys Leu Ser Ser Leu Thr Leu Asn Asn Ile Glu Thr
 245 250 255
 Thr Trp Asn Ser Phe Ile Arg Ile Leu Gln Leu Val Trp His Thr Thr
 Page 3

58183US002.ST25.txt

260 265 270

Val Trp Tyr Phe Ser Ile Ser Asn Val Lys Leu Gln Gly Gln Leu Asp
275 280 285

Phe Arg Asp Phe Asp Tyr Ser Gly Thr Ser Leu Lys Ala Leu Ser Ile
290 295 300

His Gln Val Val Ser Asp Val Phe Gly Phe Pro Gln Ser Tyr Ile Tyr
305 310 315 320

Glu Ile Phe Ser Asn Met Asn Ile Lys Asn Phe Thr Val Ser Gly Thr
325 330 335

Arg Met Val His Met Leu Cys Pro Ser Lys Ile Ser Pro Phe Leu His
340 345 350

Leu Asp Phe Ser Asn Asn Leu Leu Thr Asp Thr Val Phe Glu Asn Cys
355 360 365

Gly His Leu Thr Glu Leu Glu Thr Leu Ile Leu Gln Met Asn Gln Leu
370 375 380

Lys Glu Leu Ser Lys Ile Ala Glu Met Thr Thr Gln Met Lys Ser Leu
385 390 395 400

Gln Gln Leu Asp Ile Ser Gln Asn Ser Val Ser Tyr Asp Glu Lys Lys
405 410 415

Gly Asp Cys Ser Trp Thr Lys Ser Leu Leu Ser Leu Asn Met Ser Ser
420 425 430

Asn Ile Leu Thr Asp Thr Ile Phe Arg Cys Leu Pro Pro Arg Ile Lys
435 440 445

Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser Ile Pro Lys Gln Val
450 455 460

Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val Ala Phe Asn Ser Leu
465 470 475 480

Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser Leu Ser Val Leu Ile
485 490 495

Ile Asp His Asn Ser Val Ser His Pro Ser Ala Asp Phe Phe Gln Ser
500 505 510

58183US002.ST25.txt
 Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp Asn Pro Phe Gln Cys
 515 520 525

Thr Cys Glu Leu Gly Glu Phe Val Lys Asn Ile Asp Gln Val Ser Ser
 530 535 540

Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys Cys Asp Tyr Pro Glu
 545 550 555 560

Ser Tyr Arg Gly Thr Leu Leu Lys Asp Phe His Met Ser Glu Leu Ser
 565 570 575

Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Val Ala Thr Met Leu Val
 580 585 590

Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr Leu Asp Leu Pro Trp
 595 600 605

Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr Arg Arg Arg Ala Arg
 610 615 620

Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe
 625 630 635 640

Ile Ser Tyr Ser Gly His Asp Ser Phe Trp Val Lys Asn Glu Leu Leu
 645 650 655

Pro Asn Leu Glu Lys Glu Gly Met Gln Ile Cys Leu His Glu Arg Asn
 660 665 670

Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Thr Cys Ile Glu
 675 680 685

Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro Asn Phe Val Gln Ser
 690 695 700

Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His
 705 710 715 720

Glu Gly Ser Asn Ser Leu Ile Leu Ile Leu Leu Glu Pro Ile Pro Gln
 725 730 735

Tyr Ser Ile Pro Ser Ser Tyr His Lys Leu Lys Ser Leu Met Ala Arg
 740 745 750

Arg Thr Tyr Leu Glu Trp Pro Lys Glu Lys Ser Lys Arg Gly Leu Phe
 755 760 765

58183US002.ST25.txt

Trp Ala Asn Leu Arg Ala Ala Ile Asn Ile Lys Leu Thr Glu Gln Ala
 770 775 780

Lys Lys
 785

<210> 3
 <211> 2621
 <212> DNA
 <213> Homo sapiens

<400> 3
 cagtgttttg tgttgcaagc aggatccaaa ggagacctat agtgactccc aggagctctt 60
 agtgaccaag tgaaggtacc tgtggggctc attgtgccca ttgctctttc actgctttca 120
 actggtagtt gtgggttgaa gcactggaca atgccacata ctttgtggat ggtgtgggtc 180
 ttgggggtca tcatcagcct ctccaaggaa gaatcctcca atcaggcttc tctgtcttgt 240
 gaccgcaatg gtatctgcaa gggcagctca ggatctttaa actccattcc ctcagggtc 300
 acagaagctg taaaaagcct tgacctgtcc aacaacagga tcacctacat tagcaacagt 360
 gacctacaga ggtgtgtgaa cctccaggct ctggtgtgta catccaatgg aattaacaca 420
 atagaggaag attctttttc ttccctgggc agtcttgaac atttagactt atcctataat 480
 tacttatcta atttatcgtc ttcctgggtc aagccccttt cttctttaac attcttaaac 540
 ttactgggaa atccttaca aaccctaggg gaaacatctc ttttttctca tctcacaaaa 600
 ttgcaaatcc tgagagtggg aaatatggac accttacta agattcaaag aaaagatttt 660
 gctggactta ccttccttga ggaacttgag attgatgctt cagatctaca gagctatgag 720
 ccaaaaagtt tgaagtcaat tcagaatgta agtcatctga tccttcatat gaagcagcat 780
 attttactgc tggagatttt tgtagatgtt acaagttccg tggaatgttt ggaactgcga 840
 gatactgatt tggacacttt ccatttttca gaactatcca ctggtgaaac aaattcattg 900
 attaaaaagt ttacatttag aaatgtgaaa atcaccgatg aaagtttggt tcagggttatg 960
 aaacttttga atcagatttc tggattgtta gaattagagt ttgatgactg tacccttaat 1020
 ggagttggta attttagagc atctgataat gacagagtta tagatccagg taaagtggaa 1080
 acgttaacaa tccggaggct gcatattcca aggttttact tattttatga tctgagcact 1140
 ttatattcac ttacagaaag agttaaaaga atcacagtag aaaacagtaa agtttttctg 1200
 gttccttggt tactttcaca acatttaaaa tcattagaat acttggatct cagtgaaaat 1260
 ttgatgggtg aagaatactt gaaaaattca gcctgtgagg atgcctggcc ctctctacaa 1320
 actttaattt taaggcaaaa tcatttggca tcattggaaa aaaccggaga gactttgctc 1380
 actctgaaaa acttgactaa cattgatatc agtaagaata gttttcattc tatgcctgaa 1440

58183US002.ST25.txt

```

acttgtcagt ggccagaaaa gatgaaatat ttgaacttat ccagcacacg aatacacagt 1500
gtaacaggct gcattcccaa gacactggaa atttttagatg ttagcaacaa caatctcaat 1560
ttattttctt tgaatttgcc gcaactcaaa gaactttata tttccagaaa taagttgatg 1620
actctaccag atgcctccct cttacccatg ttactagtat tgaaaatcag taggaatgca 1680
ataactacgt tttctaagga gcaacttgac tcatttcaca cactgaagac tttggaagct 1740
ggtggcaata acttcatttg ctctgtgaa ttctctctct tcaactcagga gcagcaagca 1800
ctggccaaag tcttgattga ttggccagca aattacctgt gtgactctcc atcccatgtg 1860
cgtggccagc aggttcagga tgtccgcctc tcggtgtcgg aatgtcacag gacagcactg 1920
gtgtctggca tgtgctgtgc tctgttctct ctgatcctgc tcacgggggt cctgtgccac 1980
cgtttccatg gcctgtggtt tatgaaaatg atgtgggcct ggctccaggc caaaaggaag 2040
cccaggaaag ctcccagcag gaacatctgc tatgatgcat ttgtttctta cagtgaagcgg 2100
gatgcctact ggggtggagaa ctttatggtc caggagctgg agaacttcaa tcccccttc 2160
aagttgtgtc ttcataagcg ggacttcatt cctggcaagt ggatcattga caatatcatt 2220
gactccattg aaaagagcca caaaactgtc tttgtgcttt ctgaaaactt tgtgaagagt 2280
gagtggtgca agtatgaact ggacttctcc catttccgtc tttttgatga gaacaatgat 2340
gctgccattc tcattcttct ggagcccatt gagaaaaaag ccattcccca gcgcttctgc 2400
aagctgcgga agataatgaa caccaagacc tacctggagt ggcccatgga cgaggctcag 2460
cgggaaggat tttgggtaaa tctgagagct gcgataaagt cctaggttcc catatttaag 2520
accagtcttt gtctagttgg gatctttatg tcactagtta tagttaagtt cattcagaca 2580
taattatata aaaactacgt ggatgtaccg tcatttgagg a 2621

```

<210> 4
 <211> 784
 <212> PRT
 <213> Homo sapiens

<400> 4

Met Pro His Thr Leu Trp Met Val Trp Val Leu Gly Val Ile Ile Ser
 1 5 10 15

Leu Ser Lys Glu Glu Ser Ser Asn Gln Ala Ser Leu Ser Cys Asp Arg
 20 25 30

Asn Gly Ile Cys Lys Gly Ser Ser Gly Ser Leu Asn Ser Ile Pro Ser
 35 40 45

Gly Leu Thr Glu Ala Val Lys Ser Leu Asp Leu Ser Asn Asn Arg Ile
 50 55 60

58183US002.ST25.txt

Thr Tyr Ile Ser Asn Ser Asp Leu Gln Arg Cys Val Asn Leu Gln Ala
 65 70 75 80
 Leu Val Leu Thr Ser Asn Gly Ile Asn Thr Ile Glu Glu Asp Ser Phe
 85 90 95
 Ser Ser Leu Gly Ser Leu Glu His Leu Asp Leu Ser Tyr Asn Tyr Leu
 100 105 110
 Ser Asn Leu Ser Ser Ser Trp Phe Lys Pro Leu Ser Ser Leu Thr Phe
 115 120 125
 Leu Asn Leu Leu Gly Asn Pro Tyr Lys Thr Leu Gly Glu Thr Ser Leu
 130 135 140
 Phe Ser His Leu Thr Lys Leu Gln Ile Leu Arg Val Gly Asn Met Asp
 145 150 155 160
 Thr Phe Thr Lys Ile Gln Arg Lys Asp Phe Ala Gly Leu Thr Phe Leu
 165 170 175
 Glu Glu Leu Glu Ile Asp Ala Ser Asp Leu Gln Ser Tyr Glu Pro Lys
 180 185 190
 Ser Leu Lys Ser Ile Gln Asn Val Ser His Leu Ile Leu His Met Lys
 195 200 205
 Gln His Ile Leu Leu Leu Glu Ile Phe Val Asp Val Thr Ser Ser Val
 210 215 220
 Glu Cys Leu Glu Leu Arg Asp Thr Asp Leu Asp Thr Phe His Phe Ser
 225 230 235 240
 Glu Leu Ser Thr Gly Glu Thr Asn Ser Leu Ile Lys Lys Phe Thr Phe
 245 250 255
 Arg Asn Val Lys Ile Thr Asp Glu Ser Leu Phe Gln Val Met Lys Leu
 260 265 270
 Leu Asn Gln Ile Ser Gly Leu Leu Glu Leu Glu Phe Asp Asp Cys Thr
 275 280 285
 Leu Asn Gly Val Gly Asn Phe Arg Ala Ser Asp Asn Asp Arg Val Ile
 290 295 300
 Asp Pro Gly Lys Val Glu Thr Leu Thr Ile Arg Arg Leu His Ile Pro
 305 310 315 320
 Page 8

58183US002.ST25.txt

Arg Phe Tyr Leu Phe Tyr Asp Leu Ser Thr Leu Tyr Ser Leu Thr Glu
 325 330 335
 Arg Val Lys Arg Ile Thr Val Glu Asn Ser Lys Val Phe Leu Val Pro
 340 345 350
 Cys Leu Leu Ser Gln His Leu Lys Ser Leu Glu Tyr Leu Asp Leu Ser
 355 360 365
 Glu Asn Leu Met Val Glu Glu Tyr Leu Lys Asn Ser Ala Cys Glu Asp
 370 375 380
 Ala Trp Pro Ser Leu Gln Thr Leu Ile Leu Arg Gln Asn His Leu Ala
 385 390 395 400
 Ser Leu Glu Lys Thr Gly Glu Thr Leu Leu Thr Leu Lys Asn Leu Thr
 405 410 415
 Asn Ile Asp Ile Ser Lys Asn Ser Phe His Ser Met Pro Glu Thr Cys
 420 425 430
 Gln Trp Pro Glu Lys Met Lys Tyr Leu Asn Leu Ser Ser Thr Arg Ile
 435 440 445
 His Ser Val Thr Gly Cys Ile Pro Lys Thr Leu Glu Ile Leu Asp Val
 450 455 460
 Ser Asn Asn Asn Leu Asn Leu Phe Ser Leu Asn Leu Pro Gln Leu Lys
 465 470 475 480
 Glu Leu Tyr Ile Ser Arg Asn Lys Leu Met Thr Leu Pro Asp Ala Ser
 485 490 495
 Leu Leu Pro Met Leu Leu Val Leu Lys Ile Ser Arg Asn Ala Ile Thr
 500 505 510
 Thr Phe Ser Lys Glu Gln Leu Asp Ser Phe His Thr Leu Lys Thr Leu
 515 520 525
 Glu Ala Gly Gly Asn Asn Phe Ile Cys Ser Cys Glu Phe Leu Ser Phe
 530 535 540
 Thr Gln Glu Gln Gln Ala Leu Ala Lys Val Leu Ile Asp Trp Pro Ala
 545 550 555 560
 Asn Tyr Leu Cys Asp Ser Pro Ser His Val Arg Gly Gln Gln Val Gln
 Page 9

565 58183US002.ST25.txt 575
570

Asp Val Arg Leu Ser Val Ser Glu Cys His Arg Thr Ala Leu Val Ser
580 585 590

Gly Met Cys Cys Ala Leu Phe Leu Leu Ile Leu Leu Thr Gly Val Leu
595 600 605

Cys His Arg Phe His Gly Leu Trp Tyr Met Lys Met Met Trp Ala Trp
610 615 620

Leu Gln Ala Lys Arg Lys Pro Arg Lys Ala Pro Ser Arg Asn Ile Cys
625 630 635 640

Tyr Asp Ala Phe Val Ser Tyr Ser Glu Arg Asp Ala Tyr Trp Val Glu
645 650 655

Asn Leu Met Val Gln Glu Leu Glu Asn Phe Asn Pro Pro Phe Lys Leu
660 665 670

Cys Leu His Lys Arg Asp Phe Ile Pro Gly Lys Trp Ile Ile Asp Asn
675 680 685

Ile Ile Asp Ser Ile Glu Lys Ser His Lys Thr Val Phe Val Leu Ser
690 695 700

Glu Asn Phe Val Lys Ser Glu Trp Cys Lys Tyr Glu Leu Asp Phe Ser
705 710 715 720

His Phe Arg Leu Phe Asp Glu Asn Asn Asp Ala Ala Ile Leu Ile Leu
725 730 735

Leu Glu Pro Ile Glu Lys Lys Ala Ile Pro Gln Arg Phe Cys Lys Leu
740 745 750

Arg Lys Ile Met Asn Thr Lys Thr Tyr Leu Glu Trp Pro Met Asp Glu
755 760 765

Ala Gln Arg Glu Gly Phe Trp Val Asn Leu Arg Ala Ala Ile Lys Ser
770 775 780

<210> 5
<211> 3057
<212> DNA
<213> Homo sapiens

<400> 5
cactttcgag agtgccgtct atttgccaca cacttcctg atgaaatgtc tggatttggg 60

58183US002.ST25.txt

ctaaagaaaa aaggaaaggc tagcagtcac ccaacagaat catgagacag actttgcctt	120
gtatctactt ttgggggggc cttttgccct ttgggatgct gtgtgcatcc tccaccacca	180
agtgcactgt tagccatgaa gttgctgact gcagccacct gaagttgact caggtacccg	240
atgatctacc cacaaacata acagtgttga accttaccca taatcaactc agaagattac	300
cagccgccaa cttcacaagg tatagccagc taactagctt ggatgtagga tttaacacca	360
tctcaaaact ggagccagaa ttgtgccaga aacttcccat gttaaaagtt ttgaacctcc	420
agcacaatga gctatctcaa ctttctgata aaacctttgc cttctgcacg aatttgactg	480
aactccatct catgtccaac tcaatccaga aaattaaaaa taatcccttt gtcaagcaga	540
agaatttaac cacattagat ctgtctcata atggcttgct atctacaaaa ttaggaactc	600
aggttcagct ggaaaatctc caagagcttc tattatcaaa caataaaatt caagcgctaa	660
aaagtgaaga actggatatc ttgccaatt catctttaaa aaaattagag ttgtcatcga	720
atcaaatata agagttttct ccagggtggt ttcacgcaat tggaagatta ttggcctct	780
ttctgaacaa tgtccagctg ggtcccagcc ttacagagaa gctatgtttg gaattagcaa	840
acacaagcat tcggaatctg tctctgagta acagccagct gtccaccacc agcaatacaa	900
ctttcttggg actaaagtgg acaaactctca ctatgctcga tctttcctac aacaacttaa	960
atgtggttgg taacgattcc ttgcttggc ttccacaact agaataattt ttcctagagt	1020
ataataatat acagcatttg ttttctcact ctttgacgg gcttttcaat gtgaggtagc	1080
tgaatttgaa acggtctttt actaaacaaa gtatttccct tgcctcactc cccaagattg	1140
atgatttttc ttttcagtgg ctaaaatggt tggagcacct taacatggaa gataatgata	1200
ttccaggcat aaaaagcaat atgttcacag gattgataaa cctgaaatac ttaagtctat	1260
ccaactcctt tacaagtttg cgaactttga caaatgaaac atttgatatca cttgctcatt	1320
ctcccttaca catactcaac ctaaccaaga ataaaatctc aaaaatagag agtgatgctt	1380
tctcttggtt gggccacctt gaagtacttg acctgggcct taatgaaatt gggcaagaac	1440
tcacaggcca ggaatggaga ggtctagaaa atattttcga aatctatctt tcctacaaca	1500
agtacctgca gctgactagg aactcctttg ccttggtccc aagccttcaa cgactgatgc	1560
tccgaagggt ggcccttaaa aatgtggata gctctcctt accattccag cctcttcgta	1620
acttgaccat tctggatcta agcaacaaca acatagccaa cataaatgat gacatgttgg	1680
agggcttga gaaactagaa attctcgatt tgcagcataa caacttagca cggctctgga	1740
aacacgcaaa ccctggtggt cccatttatt tcctaaaggg tctgtctcac ctccacatcc	1800
ttaacttga gtccaacggc ttgacgaga tcccagttga ggtcttcaag gatttatttg	1860
aactaaagat catcgattta ggattgaata atttaaacac acttccagca tctgtcttta	1920
ataatcaggt gtctctaaag tcattgaacc ttcagaagaa tctcataaca tccgttgaga	1980

58183US002.ST25.txt

```

agaaggtttt cgggccagct ttcaggaacc tgactgagtt agatatgcg c tttaatccct 2040
ttgattgcac gtgtgaaagt attgcctggt ttgttaattg gattaacgag acccatacca 2100
acatccctga gctgtcaagc cactaccttt gcaacactcc acctcactat catgggttcc 2160
cagtgaagact ttttgataca tcactcttgca aagacagtgc cccctttgaa ctctttttca 2220
tgatcaatac cagtatcctg ttgattttta tctttattgt acttctcatc cactttgagg 2280
gctggaggat atctttttat tggaatgttt cagtacatcg agttcttggt ttcaaagaaa 2340
tagacagaca gacagaacag tttgaatatg cagcatatat aattcatgcc tataaagata 2400
aggattgggt ctgggaacat ttctcttcaa tggaaaagga agaccaatct ctcaaatttt 2460
gtctggaaga aagggacttt gaggcgggtg tttttgaact agaagcaatt gttaacagca 2520
tcaaaagaag cagaaaaatt atttttgtta taacacacca tctattaaaa gaccattat 2580
gcaaaagatt caaggtacat catgcagttc aacaagctat tgaacaaaat ctggattcca 2640
ttatattggt tttccttgag gagattccag attataaact gaaccatgca ctctgtttgc 2700
gaagaggaat gtttaaatct cactgcatct tgaactggcc agttcagaaa gaacggatag 2760
gtgcctttcg tcataaattg caagtagcac ttggatccaa aaactctgta cattaaattt 2820
atttaaatat tcaattagca aaggagaaac tttctcaatt taaaagttc tatggcaaatt 2880
ttaagttttc cataaagggtg ttataatttg tttattcata tttgtaaatg attatattct 2940
atcacaaata catctcttct aggaaaatgt gtctccttat ttcaggccta tttttgacaa 3000
ttgacttaat tttacccaaa ataaacata taagcacgta aaaaaaaaaa aaaaaaa 3057

```

<210> 6
 <211> 904
 <212> PRT
 <213> Homo sapiens

<400> 6

Met Arg Gln Thr Leu Pro Cys Ile Tyr Phe Trp Gly Gly Leu Leu Pro
 1 5 10 15

Phe Gly Met Leu Cys Ala Ser Ser Thr Thr Lys Cys Thr Val Ser His
 20 25 30

Glu Val Ala Asp Cys Ser His Leu Lys Leu Thr Gln Val Pro Asp Asp
 35 40 45

Leu Pro Thr Asn Ile Thr Val Leu Asn Leu Thr His Asn Gln Leu Arg
 50 55 60

Arg Leu Pro Ala Ala Asn Phe Thr Arg Tyr Ser Gln Leu Thr Ser Leu
 65 70 75 80

58183US002.ST25.txt

Asp Val Gly Phe Asn Thr Ile Ser Lys Leu Glu Pro Glu Leu Cys Gln
 85 90 95

Lys Leu Pro Met Leu Lys Val Leu Asn Leu Gln His Asn Glu Leu Ser
 100 105 110

Gln Leu Ser Asp Lys Thr Phe Ala Phe Cys Thr Asn Leu Thr Glu Leu
 115 120 125

His Leu Met Ser Asn Ser Ile Gln Lys Ile Lys Asn Asn Pro Phe Val
 130 135 140

Lys Gln Lys Asn Leu Ile Thr Leu Asp Leu Ser His Asn Gly Leu Ser
 145 150 155 160

Ser Thr Lys Leu Gly Thr Gln Val Gln Leu Glu Asn Leu Gln Glu Leu
 165 170 175

Leu Leu Ser Asn Asn Lys Ile Gln Ala Leu Lys Ser Glu Glu Leu Asp
 180 185 190

Ile Phe Ala Asn Ser Ser Leu Lys Lys Leu Glu Leu Ser Ser Asn Gln
 195 200 205

Ile Lys Glu Phe Ser Pro Gly Cys Phe His Ala Ile Gly Arg Leu Phe
 210 215 220

Gly Leu Phe Leu Asn Asn Val Gln Leu Gly Pro Ser Leu Thr Glu Lys
 225 230 235 240

Leu Cys Leu Glu Leu Ala Asn Thr Ser Ile Arg Asn Leu Ser Leu Ser
 245 250 255

Asn Ser Gln Leu Ser Thr Thr Ser Asn Thr Thr Phe Leu Gly Leu Lys
 260 265 270

Trp Thr Asn Leu Thr Met Leu Asp Leu Ser Tyr Asn Asn Leu Asn Val
 275 280 285

Val Gly Asn Asp Ser Phe Ala Trp Leu Pro Gln Leu Glu Tyr Phe Phe
 290 295 300

Leu Glu Tyr Asn Asn Ile Gln His Leu Phe Ser His Ser Leu His Gly
 305 310 315 320

Leu Phe Asn Val Arg Tyr Leu Asn Leu Lys Arg Ser Phe Thr Lys Gln
 Page 13

Page 14

58183US002.ST25.txt

Ile Pro Val Glu Val Phe Lys Asp Leu Phe Glu Leu Lys Ile Ile Asp
580 585 590

Leu Gly Leu Asn Asn Leu Asn Thr Leu Pro Ala Ser Val Phe Asn Asn
595 600 605

Gln Val Ser Leu Lys Ser Leu Asn Leu Gln Lys Asn Leu Ile Thr Ser
610 615 620

Val Glu Lys Lys Val Phe Gly Pro Ala Phe Arg Asn Leu Thr Glu Leu
625 630 635 640

Asp Met Arg Phe Asn Pro Phe Asp Cys Thr Cys Glu Ser Ile Ala Trp
645 650 655

Phe Val Asn Trp Ile Asn Glu Thr His Thr Asn Ile Pro Glu Leu Ser
660 665 670

Ser His Tyr Leu Cys Asn Thr Pro Pro His Tyr His Gly Phe Pro Val
675 680 685

Arg Leu Phe Asp Thr Ser Ser Cys Lys Asp Ser Ala Pro Phe Glu Leu
690 695 700

Phe Phe Met Ile Asn Thr Ser Ile Leu Leu Ile Phe Ile Phe Ile Val
705 710 715 720

Leu Leu Ile His Phe Glu Gly Trp Arg Ile Ser Phe Tyr Trp Asn Val
725 730 735

Ser Val His Arg Val Leu Gly Phe Lys Glu Ile Asp Arg Gln Thr Glu
740 745 750

Gln Phe Glu Tyr Ala Ala Tyr Ile Ile His Ala Tyr Lys Asp Lys Asp
755 760 765

Trp Val Trp Glu His Phe Ser Ser Met Glu Lys Glu Asp Gln Ser Leu
770 775 780

Lys Phe Cys Leu Glu Glu Arg Asp Phe Glu Ala Gly Val Phe Glu Leu
785 790 795 800

Glu Ala Ile Val Asn Ser Ile Lys Arg Ser Arg Lys Ile Ile Phe Val
805 810 815

Ile Thr His His Leu Leu Lys Asp Pro Leu Cys Lys Arg Phe Lys Val
820 825 830

58183US002.ST25.txt

His His Ala Val Gln Gln Ala Ile Glu Gln Asn Leu Asp Ser Ile Ile
 835 840 845

Leu Val Phe Leu Glu Glu Ile Pro Asp Tyr Lys Leu Asn His Ala Leu
 850 855 860

Cys Leu Arg Arg Gly Met Phe Lys Ser His Cys Ile Leu Asn Trp Pro
 865 870 875 880

Val Gln Lys Glu Arg Ile Gly Ala Phe Arg His Lys Leu Gln Val Ala
 885 890 895

Leu Gly Ser Lys Asn Ser Val His
 900

<210> 7
 <211> 3811
 <212> DNA
 <213> Homo sapiens

<400> 7
 acagggccac tgctgctcac agaagcagtg aggatgatgc caggatgatg tctgcctcgc 60
 gcctggctgg gactctgata ccagccatgg ccttcctctc ctgcgtgaga ccagaaagct 120
 gggagccctg cgtggagact tggccctaaa ccacacagaa gagctggcat gaaaccaga 180
 gctttcagac tccggagcct cagcccttca ccccgattcc attgcttctt gctaaatgct 240
 gccgttttat cacggagggtg gttcctaata ttacttatca atgcatggag ctgaatttct 300
 aaaaaatccc cgacaacctc cccttctcaa ccaagaacct ggacctgagc ttaaatcccc 360
 tgaggcattt aggcagctat agcttcttca gtttccaga actgcagggtg ctggatttat 420
 ccagggtgtga aatccagaca attgaagatg gggcatatca gagcctaagc cacctctcta 480
 ccttaatat gacaggaaac cccatccaga gtttagccct gggagcctt tctggactat 540
 caagtttaca gaagctgggtg gctgtggaga caaatctagc atctctagag aacttcccca 600
 ttggacatct caaaactttg aaagaactta atgtggctca caatcttatc caatctttca 660
 aattacctga gtatttttct aatctgacca atctagagca cttggacctt tccagcaaca 720
 agattcaaag tatttattgc acagacttgc gggttctaca tcaaagccc ctactcaatc 780
 tctctttaga cctgtccctg aaccctatga actttatcca accagggtgca tttaaagaaa 840
 ttaggcttca taagctgact ttaagaaata attttgatag tttaaatgta atgaaaactt 900
 gtattcaagg tctggctggg ttagaagtcc atcgtttggg tctgggagaa tttagaaatg 960
 aaggaaactt ggaaaagttt gacaaatctg ctctagaggg cctgtgcaat ttgaccattg 1020
 aagaattccg attagcatat ttagactact acctcgatga tattattgac ttatttaatt 1080

58183US002.ST25.txt

gtttgacaaa tgtttcttca ttttccctgg tgagtgtgac tattgaaagg gtaaaagact	1140
tttcttataa tttcggatgg caacatttag aattagttaa ctgtaaattt ggacagtttc	1200
ccacattgaa actcaaactc ctcaaaaggc ttactttcac ttccaacaaa ggtgggaatg	1260
ctttttcaga agttgatcta ccaagccttg agtttctaga tctcagtaga aatggcctga	1320
gtttcaaagg ttgctgttct caaagtgatt ttgggacaac cagcctaaag tatttagatc	1380
tgagcttcaa tgggtgttatt accatgagtt caaacttctt gggcttagaa caactagaac	1440
atctggattt ccagcattcc aatttgaaac aaatgagtga gttttcagta ttcctatcac	1500
tcagaaacct catttacctt gacatttctc atactcacac cagagttgct ttcaatggca	1560
tcttcaatgg ctgtgccagt ctggaagtct tgaaaatggc tggcaattct ttccaggaaa	1620
acttccttcc agatatcttc acagagctga gaaacttgac cttcctggac ctctctcagt	1680
gtcaactgga gcagttgtct ccaacagcat ttaactcact ctccagtctt caggactactaa	1740
atatgagcca caacaacttc ttttcattgg atacgtttcc ttataagtgt ctgaactccc	1800
tccaggttct tgattacagt ctcaatcaca taatgacttc caaaaaacag gaactacagc	1860
attttccaag tagtctagct ttcttaaate ttactcagaa tgactttgct tgtacttgtg	1920
aacaccagag tttcctgcaa tggatcaagg accagaggca gctcttggtg gaagttgaac	1980
gaatggaatg tgcaaacact tcagataagc agggcatgcc tgtgctgagt ttgaatatca	2040
cctgtcagat gaataagacc atcattgggtg tgtcggtcct cagtgtgctt gtagtatctg	2100
ttgtagcagt tctgggtctat aagttctatt ttcacctgat gcttcttgct ggctgcataa	2160
agtatggtag aggtgaaaac atctatgatg cctttgttat ctactcaagc caggatgagg	2220
actgggtaag gaatgagcta gtaaagaatt tagaagaagg ggtgcctcca tttcagctct	2280
gccttcacta cagagacttt attcccgggtg tggccattgc tgccaacatc atccatgaag	2340
gtttccataa aagccgaaag gtgattgttg tgggtgtcca gcacttcac cagagccgct	2400
gggtgatctt tgaatatgag attgctcaga cctggcagtt tctgagcagt cgtgctggta	2460
tcattctcat tgtcctgcag aagggtggaga agaccctgct caggcagcag gtggagctgt	2520
accgccttct cagcaggaac acttacctgg agtgggagga cagtgtcctg gggcggcaca	2580
tcttctggag acgactcaga aaagccctgc tggatggtaa atcatggaat ccagaaggaa	2640
cagtgggtac aggatgcaat tggcaggaag caacatctat ctgaagagga aaaataaaaa	2700
cctcctgagg catttcttgc ccagctgggt ccaacacttg ttcagttaat aagtattaaa	2760
tgctgccaca tgtcaggcct tatgctaagg gtgagtaatt ccatgggtgca ctagatatgc	2820
agggctgcta atctcaagga gcttccagt cagaggggaat aaatgctaga ctaaaataca	2880
gagtcttcca ggtgggcatt tcaaccaact cagtcaagga acccatgaca aagaaagtca	2940
tttcaactct tacctcatca agttgaataa agacagagaa aacagaaaga gacattgttc	3000

58183US002.ST25.txt

```

ttttcctgag tcttttgaat ggaaattgta ttatgttata gccatcataa aaccattttg 3060
gtagttttga ctgaactggg tgttcacttt ttcctttttg attgaataca atttaaattc 3120
tacttgatga ctgcagtcgt caaggggctc ctgatgcaag atgccccttc cattttaagt 3180
ctgtctcctt acagagggtta aagtctaata gctaattcct aaggaaacct gattaacaca 3240
tgctcacaac catcctggtc attctcgaac atgttctatt ttttaactaa tcaccctga 3300
tatattttta tttttatata tccagttttc atttttttac gtcttgcta taagctaata 3360
tcataaataa ggttgtttaa gacgtgcttc aaatatccat attaaccact atttttcaag 3420
gaagtatgga aaagtacact ctgtcacttt gtcactcgat gtcattccaa agttattgcc 3480
tactaagtaa tgactgtcat gaaagcagca ttgaaataat ttgtttaaag ggggcaactc 3540
tttaaacggg aagaaaattt ccgcttcctg gtcttatcat ggacaatttg ggctataggc 3600
atgaaggaag tgggattacc tcaggaagtc accttttctt gattccagaa acatatgggc 3660
tgataaaccg ggggtgacct catgaaatga gttgcagcag atgtttatatt ttttcagaac 3720
aagtgatgtt tgatggacct atgaatctat ttagggagac acagatggct gggatccctc 3780
ccctgtaccc ttctcactga caggagaact a 3811

```

<210> 8
 <211> 799
 <212> PRT
 <213> Homo sapiens

<400> 8

Met Glu Leu Asn Phe Tyr Lys Ile Pro Asp Asn Leu Pro Phe Ser Thr
 1 5 10 15

Lys Asn Leu Asp Leu Ser Phe Asn Pro Leu Arg His Leu Gly Ser Tyr
 20 25 30

Ser Phe Phe Ser Phe Pro Glu Leu Gln Val Leu Asp Leu Ser Arg Cys
 35 40 45

Glu Ile Gln Thr Ile Glu Asp Gly Ala Tyr Gln Ser Leu Ser His Leu
 50 55 60

Ser Thr Leu Ile Leu Thr Gly Asn Pro Ile Gln Ser Leu Ala Leu Gly
 65 70 75 80

Ala Phe Ser Gly Leu Ser Ser Leu Gln Lys Leu Val Ala Val Glu Thr
 85 90 95

Asn Leu Ala Ser Leu Glu Asn Phe Pro Ile Gly His Leu Lys Thr Leu
 100 105 110

58183US002.ST25.txt

Lys Glu Leu Asn Val Ala His Asn Leu Ile Gln Ser Phe Lys Leu Pro
 115 120 125
 Glu Tyr Phe Ser Asn Leu Thr Asn Leu Glu His Leu Asp Leu Ser Ser
 130 135 140
 Asn Lys Ile Gln Ser Ile Tyr Cys Thr Asp Leu Arg Val Leu His Gln
 145 150 155 160
 Met Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn
 165 170 175
 Phe Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr
 180 185 190
 Leu Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln
 195 200 205
 Gly Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg
 210 215 220
 Asn Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu
 225 230 235 240
 Cys Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr
 245 250 255
 Leu Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser
 260 265 270
 Phe Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr
 275 280 285
 Asn Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln
 290 295 300
 Phe Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser
 305 310 315 320
 Asn Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu
 325 330 335
 Phe Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser
 340 345 350
 Gln Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe
 Page 19

355 58183US002.ST25.txt
 360 365
 Asn Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu
 370 375 380
 Glu His Leu Asp Phe Gln His Ser Asn Leu Lys Gln Met Ser Glu Phe
 385 390 395 400
 Ser Val Phe Leu Ser Leu Arg Asn Leu Ile Tyr Leu Asp Ile Ser His
 405 410 415
 Thr His Thr Arg Val Ala Phe Asn Gly Ile Phe Asn Gly Leu Ser Ser
 420 425 430
 Leu Glu Val Leu Lys Met Ala Gly Asn Ser Phe Gln Glu Asn Phe Leu
 435 440 445
 Pro Asp Ile Phe Thr Glu Leu Arg Asn Leu Thr Phe Leu Asp Leu Ser
 450 455 460
 Gln Cys Gln Leu Glu Gln Leu Ser Pro Thr Ala Phe Asn Ser Leu Ser
 465 470 475 480
 Ser Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp
 485 490 495
 Thr Phe Pro Tyr Lys Cys Leu Asn Ser Leu Gln Val Leu Asp Tyr Ser
 500 505 510
 Leu Asn His Ile Met Thr Ser Lys Lys Gln Glu Leu Gln His Phe Pro
 515 520 525
 Ser Ser Leu Ala Phe Leu Asn Leu Thr Gln Asn Asp Phe Ala Cys Thr
 530 535 540
 Cys Glu His Gln Ser Phe Leu Gln Trp Ile Lys Asp Gln Arg Gln Leu
 545 550 555 560
 Leu Val Glu Val Glu Arg Met Glu Cys Ala Thr Pro Ser Asp Lys Gln
 565 570 575
 Gly Met Pro Val Leu Ser Leu Asn Ile Thr Cys Gln Met Asn Lys Thr
 580 585 590
 Ile Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala
 595 600 605

58183US002.ST25.txt

Val Leu Val Tyr Lys Phe Tyr Phe His Leu Met Leu Leu Ala Gly Cys
 610 615 620

Ile Lys Tyr Gly Arg Gly Glu Asn Ile Tyr Asp Ala Phe Val Ile Tyr
 625 630 635 640

Ser Ser Gln Asp Glu Asp Trp Val Arg Asn Glu Leu Val Lys Asn Leu
 645 650 655

Glu Glu Gly Val Pro Pro Phe Gln Leu Cys Leu His Tyr Arg Asp Phe
 660 665 670

Ile Pro Gly Val Ala Ile Ala Ala Asn Ile Ile His Glu Gly Phe His
 675 680 685

Lys Ser Arg Lys Val Ile Val Val Val Ser Gln His Phe Ile Gln Ser
 690 695 700

Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu
 705 710 715 720

Ser Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys
 725 730 735

Thr Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn
 740 745 750

Thr Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp
 755 760 765

Arg Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu
 770 775 780

Gly Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile
 785 790 795

<210> 9
 <211> 1261
 <212> DNA
 <213> Homo sapiens

<400> 9
 tgttgggatg tttttgaggg actttctcat ctccaagttc tgtatttgaa tcataactat 60
 ctttaattccc ttccaccagg agtatttagc catctgactg cattaagggg actaagcctc 120
 aactccaaca ggctgacagt tctttctcac aatgatttac ctgctaattt agagatcctg 180
 gacatatcca ggaaccagct cctagctcct aatcctgatg tatttgatc acttagtgtc 240
 ttggatataa ctcataacaa gttcatttgt gaatgtgaac ttagcacttt tatcaattgg 300

58183US002.ST25.txt

```

cttaatcaca ccaatgtcac tatagctggg cctcctgcag acatatattg tgtgtaccct 360
gactcgttct ctgggggtttc cctcttctct cttccacgg aaggttgatga tgaagaggaa 420
gtcttaaagt ccctaaagtt ctcccttttc attgtatgca ctgtcactct gactctgttc 480
ctcatgacca tcctcacagt cacaaagttc cggggcttct gttttatctg ttataagaca 540
gcccagagac tgggtgttcaa ggaccatccc cagggcacag aacctgatat gtacaaatat 600
gatgcctatt tgtgcttcag cagcaaagac ttcacatggg tgcagaatgc tttgctcaaa 660
cacctggaca ctcaatacag tgacaaaaac agattcaacc tgtgctttga agaaagagac 720
tttgtcccag gagaaaaccg cattgccaat atccaggatg ccatctggaa cagtagaaag 780
atcgtttgtc ttgtgagcag acacttcctt agagatggct ggtgccttga agccttcagt 840
tatgcccagg gcaggtgctt atctgacctt aacagtgtct tcatcatggt ggtgggtggg 900
tccttgctcc agtaccagtt gatgaaacat caatccatca gaggccttgt acagaaacag 960
cagtatttga ggtggcctga ggatctccag gatgttggct ggtttcttca taaactctct 1020
caacagatac taaagaaaga aaaagaaaag aagaaagaca ataacattcc gttgcaaact 1080
gtagcaacca tctcctaadc aaaggagcaa tttccaactt atctcaagcc acaaataact 1140
cttcactttg tatttgcacc aagttatcat tttggggtcc tctctggagg tttttttttt 1200
ctttttgcta ctatgaaaac aacataaatc tctcaatttt cgtatcaaaa aaaaaaaaaa 1260
a 1261

```

```

<210> 10
<211> 204
<212> PRT
<213> Homo sapiens
<400> 10

```

```

Met Thr Ile Leu Thr Val Thr Lys Phe Arg Gly Phe Cys Phe Ile Cys
1           5           10           15

```

```

Tyr Lys Thr Ala Gln Arg Leu Val Phe Lys Asp His Pro Gln Gly Thr
20           25           30

```

```

Glu Pro Asp Met Tyr Lys Tyr Asp Ala Tyr Leu Cys Phe Ser Ser Lys
35           40           45

```

```

Asp Phe Thr Trp Val Gln Asn Ala Leu Leu Lys His Leu Asp Thr Gln
50           55           60

```

```

Tyr Ser Asp Gln Asn Arg Phe Asn Leu Cys Phe Glu Glu Arg Asp Phe
65           70           75           80

```

58183US002.ST25.txt

Val Pro Gly Glu Asn Arg Ile Ala Asn Ile Gln Asp Ala Ile Trp Asn
 85 90 95

Ser Arg Lys Ile Val Cys Leu Val Ser Arg His Phe Leu Arg Asp Gly
 100 105 110

Trp Cys Leu Glu Ala Phe Ser Tyr Ala Gln Gly Arg Cys Leu Ser Asp
 115 120 125

Leu Asn Ser Ala Leu Ile Met Val Val Val Gly Ser Leu Ser Gln Tyr
 130 135 140

Gln Leu Met Lys His Gln Ser Ile Arg Gly Phe Val Gln Lys Gln Gln
 145 150 155 160

Tyr Leu Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu His
 165 170 175

Lys Leu Ser Gln Gln Ile Leu Lys Lys Glu Lys Glu Lys Lys Lys Asp
 180 185 190

Asn Asn Ile Pro Leu Gln Thr Val Ala Thr Ile Ser
 195 200

<210> 11
 <211> 2753
 <212> DNA
 <213> Homo sapiens

<400> 11
 agaatttgga ctcatatcaa gatgctctga agaagaacaa ccctttagga tagccactgc 60
 aacatcatga ccaaagacaa agaacctatt gttaaaagct tccattttgt ttgccttatg 120
 atcataatag ttggaaccag aatccagttc tccgacggaa atgaatttgc agtagacaag 180
 tcaaaaagag gtcttattca tgttccaaaa gacctaccgc tgaaaaccaa agtcttagat 240
 atgtctcaga actacatcgc tgagcttcag gtctctgaca tgagctttct atcagagttg 300
 acagttttga gactttccca taacagaatc cagctacttg atttaagtgt tttcaagttc 360
 aaccaggatt tagaatatct ggatttatct cataatcagt tgcaaaagat atcctgccat 420
 cctattgtga gtttcaggca tttagatctc tcattcaatg atttcaaggc cctgccccatc 480
 tgtaaggaat ttggcaactt atcacaactg aatttcttgg gattgagtg c tatgaagctg 540
 caaaaattag atttgctgcc aattgctcac ttgcatctaa gttatatcct tctggattta 600
 agaaattatt atataaaaga aaatgagaca gaaagtctac aaattctgaa tgcaaaaacc 660
 cttcaccttg tttttcaccc aactagttta ttcgctatcc aagtgaacat atcagttaat 720
 actttagggt gcttacaact gactaatatt aaattgaatg atgacaactg tcaagttttc 780

58183US002.ST25.txt

attaaatattt tatcagaact caccagaggt tcaaccttac tgaatatttac cctcaaccac	840
atagaaacga cttggaaatg cctgggtcaga gtctttcaat ttctttggcc caaacctgtg	900
gaatatctca atattttacaa tttacaata attgaaagca ttcgtgaaga agatatttact	960
tatttctaaaa cgacattgaa agcattgaca atagaacata tcacgaacca agtttttctg	1020
ttttcacaga cagctttgta caccgtgttt tctgagatga acattatgat gttaaccatt	1080
tcagatacac cttttataca catgctgtgt cctcatgcac caagcacatt caagtttttg	1140
aactttacc agaacgtttt cacagatagt atttttgaaa aatgttccac gttagttaaa	1200
ttggagacac ttatcttaca aaaaaatgga ttaaagacc ttttcaaagt aggtctcatg	1260
acgaaggata tgccttcttt ggaaatactg gatgttagct ggaattcttt ggaatctggt	1320
agacataaag aaaactgcac ttgggttgag agtatagtgg tgttaaattt gtcttcaa	1380
atgcttactg actctgtttt cagatgttta cctcccagga tcaagggtact tgatcttcac	1440
agcaataaaa taaagagcgt tcctaaacaa gtcgtaaaac tggaagcttt gcaagaactc	1500
aatgttgctt tcaattcttt aactgacctt cctggatgtg gcagcttttag cagcctttct	1560
gtattgatca ttgatcaca ttcagtttcc caccatcgg ctgatttctt ccagagctgc	1620
cagaagatga ggtcaataaa agcaggggac aatccattcc aatgtacctg tgagctaaga	1680
gaatttgctca aaaatataga ccaagtatca agtgaagtgt tagagggtg gcctgattct	1740
tataagtgtg actaccaga aagttataga ggaagcccac taaaggactt tcacatgtct	1800
gaattatcct gcaacataac tctgctgac gtcaccatcg gtgccaccat gctggtgttg	1860
gctgtgactg tgacctcct ctgcatctac ttggatctgc cctggatctt caggatggtg	1920
tgccagtga cccagactcg gcgcagggcc aggaacatac ccttagaaga actccaaaga	1980
aacctccagt ttcattgcttt ttttcatat agtgaacatg attctgcctg ggtgaaaagt	2040
gaattggtac cttacctaga aaaagaagat atacagattt gtcttcatga gaggaacttt	2100
gtccctggca agagcattgt ggaaaatat atcaactgca ttgagaagag ttacaagtcc	2160
atctttgttt tgtctccaa cttgtccag agtgagtggg gccattacga actctatttt	2220
gcccacaca atctctttca tgaaggatct aataacttaa tcctcatctt actggaacct	2280
attccacaga acagcattcc caacaagtac cacaagctga aggtctctat gacgcagcgg	2340
acttatttgc agtggcccaa ggagaaaagc aaacgtgggc tcttttgggc taacattaga	2400
gccgctttta atatgaaatt aacactagtc actgaaaaca atgatgtgaa atcttaaaaa	2460
aatttaggaa attcaactta agaaaccatt atttacttgg atgatggtga atagtacagt	2520
cgtaagtaac tgtctggagg tgcctccatt atcctcatgc cttcaggaaa gacttaacaa	2580
aaacaatggt tcacttgggg aactgagcta ggcggtgagg ttagcctgcc agttagagac	2640

58183US002.ST25.txt

agcccagttct cttctgggttt aatcattatg tttcaaattg aaacagtctc ttttgagtaa 2700

atgctcagtt tttcagctcc tctccactct gctttcccaa atggattctg ttg 2753

<210> 12

<211> 796

<212> PRT

<213> Homo sapiens

<400> 12

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
1 5 10 15Leu Met Ile Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn
20 25 30Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys
35 40 45Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile
50 55 60Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val
65 70 75 80Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe
85 90 95Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu
100 105 110Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu
115 120 125Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn
130 135 140Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys
145 150 155 160Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu
165 170 175Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln
180 185 190Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu
195 200 205

58183US002.ST25.txt

Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln
 210 215 220
 Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys
 225 230 235 240
 Phe Leu Ser Glu Leu Thr Arg Gly Ser Thr Leu Leu Asn Phe Thr Leu
 245 250 255
 Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe
 260 265 270
 Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile
 275 280 285
 Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu
 290 295 300
 Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser
 305 310 315 320
 Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu
 325 330 335
 Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro
 340 345 350
 Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser
 355 360 365
 Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu
 370 375 380
 Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys
 385 390 395 400
 Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu
 405 410 415
 Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val
 420 425 430
 Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu
 435 440 445
 Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser
 450 455 460

58183US002.ST25.txt

Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val
 465 470 475 480
 Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser
 485 490 495
 Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala
 500 505 510
 Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp
 515 520 525
 Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile
 530 535 540
 Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys
 545 550 555 560
 Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His
 565 570 575
 Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly
 580 585 590
 Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr
 595 600 605
 Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr
 610 615 620
 Arg Arg Arg Ala Arg Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu
 625 630 635 640
 Gln Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Ala Trp Val
 645 650 655
 Lys Ser Glu Leu Val Pro Tyr Leu Glu Lys Glu Asp Ile Gln Ile Cys
 660 665 670
 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile
 675 680 685
 Ile Asn Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro
 690 695 700
 Asn Phe Val Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His
 Page 27

<400>	13					
actccagata	taggatcact	ccatgccatc	aagaaagttag	atgctattgg	gcccattctca	60
agctgatctt	ggcacctctc	atgctctgct	ctcttcaacc	agacctctac	attccatttt	120
ggaagaagac	taaaaatgggt	gtttccaatg	tggacactga	agagacaaat	tcttatcctt	180
tttaacataa	tcctaatttc	caaactcctt	ggggctagat	ggtttcctaa	aactctgccc	240
tgtgatgtca	ctctggatgt	tccaaagaac	catgtgatcg	tggactgcac	agacaagcat	300
ttgacagaaa	ttcctggagg	tattcccacg	aacaccacga	acctcaccct	caccattaac	360
cacataccag	acatctcccc	agcgtccttt	cacagactgg	accatctgggt	agagatcgat	420
ttcagatgca	acttgtgtacc	tattccactg	gggtcaaaaa	acaacatgtg	catcaagagg	480
ctgcagatta	aaccagaag	ctttagtggg	ctcacttatt	taaaatccct	ttacctggat	540
ggaaaccagc	tactagagat	accgcagggc	ctccgccta	gcttacagct	tctcagcctt	600
gaggccaaca	acatcttttc	catcagaaaa	gagaatctaa	cagaactggc	caacatagaa	660
atactctacc	tgggccaaaa	ctgttattat	cgaaatcctt	gttatgtttc	atattcaata	720
gagaaagatg	ccttcctaaa	cttgacaaag	ttaaagtgc	tctccctgaa	agataacaat	780
gtcacagccg	tccctactgt	tttgccatct	actttaacag	aactatatct	ctacaacaac	840
atgattgcaa	aatccaaga	agatgatttt	aataacctca	accaattaca	aattcttgac	900
ctaagtggaa	attgccctcg	ttgttataat	gccccatttc	cttgtgcgcc	gtgtaaaaat	960
aattctcccc	tacagatccc	tgtaaatgct	tttgatgcgc	tgacagaatt	aaaagtttta	1020

58183US002.ST25.txt

cgtctacaca gtaactctct tcagcatgtg cccccaagat gggttaagaa catcaacaaa	1080
ctccaggaac tggatctgtc ccaaaacttc ttggccaaag aaattgggga tgctaaattt	1140
ctgcattttc tccccagcct catccaattg gatctgtctt tcaattttga acttcaggtc	1200
tatcgtgcat ctatgaatct atcacaagca ttttcttcac tgaaaagcct gaaaattctg	1260
cggatcagag gatatgtctt taaagagttg aaaagcttta acctctgcc attacataat	1320
cttcaaaatc ttgaagttct tgatcttggc actaacttta taaaaattgc taacctcagc	1380
atgttttaac aatttaaaag actgaaagtc atagatcttt cagtgaataa aatatcacct	1440
tcaggagatt caagtgaagt tggcttctgc tcaaatgcc gaacttctgt agaaagtatt	1500
gaaccccagg tcctggaaca attacattat ttcagatatg ataagtatgc aaggagttgc	1560
agattcaaaa acaaagaggc ttctttcatg tctgttaatg aaagctgcta caagtatggg	1620
cagaccttgg atctaagtaa aaatagtata tttttgtca agtcctctga ttttcagcat	1680
ctttctttcc tcaaatgcct gaatctgtca ggaaatctca ttagccaaac tcttaatggc	1740
agtgaattcc aacctttagc agagctgaga tatttggact tctccaacaa cgggcttgat	1800
ttactccatt caacagcatt tgaagagctt cacaactgg aagttctgga tataagcagt	1860
aatagccatt attttcaatc agaaggaatt actcatatgc taaactttac caagaacct	1920
aaggttctgc agaaactgat gatgaacgac aatgacatct cttcctccac cagcaggacc	1980
atggagagtg agtctcttag aactctggaa ttcagaggaa atcacttaga tgttttatgg	2040
agagaaggtg ataacagata cttacaatta ttcaagaatc tgctaaaatt agaggaatta	2100
gacatctcta aaaattccct aagtttcttg ctttctggag tttttgatgg tatgcctcca	2160
aatctaaaga atctctcttt ggccaaaaat gggctcaaat ctttcagttg gaagaaactc	2220
cagtgtctaa agaacctgga aactttggac ctccagccaca accaactgac cactgtccct	2280
gagagattat ccaactgttc cagaagcctc aagaatctga ttcttaagaa taatcaaatc	2340
aggagtctga cgaagtattt tctacaagat gccttccagt tgcgatatct ggatctcagc	2400
tcaaataaaa tccagatgat ccaaaagacc agcttcccag aaaatgtcct caacaatctg	2460
aagatgttgc ttttgcatca taatcggttt ctgtgcacct gtgatgctgt gtggtttgtc	2520
tggtgggtta accatacgga ggtgactatt cttacctgg ccacagatgt gacttgtgtg	2580
gggccaggag cacacaaggg ccaaagtgtg atctccctgg atctgtacac ctgtgagtta	2640
gatctgacta acctgattct gtctcactt tccatatctg tatctctctt tctcatggtg	2700
atgatgacag caagtcacct ctatttctgg gatgtgtggt atatttacca tttctgtaag	2760
gccaagataa aggggtatca gcttctaata tcaccagact gttgctatga tgcttttatt	2820
gtgtatgaca ctaaagaccc agctgtgacc gagtgggttt tggctgagct ggtggccaaa	2880
ctggaagacc caagagagaa acattttaat ttatgtctcg aggaaagga ctggttacca	2940

58183US002.ST25.txt

gggcagccag ttctggaaaa cctttcccag agcatcacagc ttagcaaaaa gacagtgttt 3000
gtgatgacag acaagtatgc aaagactgaa aattttaaga tagcatttta cttgtcccat 3060
cagaggctca tggatgaaaa agttgatgtg attatcttga tatttcttga gaagcccttt 3120
cagaagtcca agttcctcca gctccgaaaa aggctctgtg ggagttctgt ccttgagtgg 3180
ccaacaaacc cgcaagctca cccatacttc tggcagtgtc taaagaacgc cctggccaca 3240
gacaatcatg tggcctatag tcagggtgttc aaggaaacgg tctagccctt ctttgcaaaa 3300
cacaactgcc tagtttacca aggagaggcc tggctgttta aattgttttc atatatatca 3360
caccaaaagc gtgttttgaa attcttcaag aaatgagatt gcccatattt caggggagcc 3420
accaacgtct gtcacaggag ttggaagat ggggtttata taatgcatca agtcttcttt 3480
cttatctctc tgtgtctcta ttgcaacttg agtctctcac ctgagctcct gtaaaagagt 3540
ggcaagtaaa aaacatgggg ctctgattct cctgtaattg tgataattaa atatacacac 3600
aatcatgaca ttgagaagaa ctgcatttct acccttaaaa agtactggta tatacagaaa 3660
tagggttaaa aaaaactcaa gctctctcta tatgagacca aaatgtacta gagttagttt 3720
agtgaataaa aaaccagtc agctggccgg gcatgggtggc tcatgcttgt aatcccagca 3780
ctttgggagg ccgaggcagg tggatcacga ggtcaggagt ttgagaccag tctggccaac 3840
atggtgaaac cccgtctgta ctaaaaatac aaaaattagc tgggcgtggt ggtgggtgcc 3900
tgtaatccca gctacttggg aggtgagggc aggagaatcg cttgaacccg ggaggtggag 3960
gtggcagtga gccgagatca cgccactgca atgcagcccg ggcaacagag ctagactgtc 4020
tcaaaagaac aaaaaaaaaa aaacacaaaa aaactcagtc agcttcttaa ccaattgctt 4080
ccgtgtcatc cagggcccca ttctgtgcag attgagtgtg ggcaccacac aggtggttgc 4140
tgcttcagtg cttcctgctc tttttccttg ggcctgcttc tgggttccat agggaaacag 4200
taagaaagaa agacacatcc ttaccataaa tgcatatggt ccacctaca atagaaaaat 4260
atttaaatga tctgccttta tacaaagtga tattctctac ctttgataat ttacctgctt 4320
aaatgttttt atctgcactg caaagtactg tatccaaagt aaaatttcct catccaatat 4380
ctttcaaact gttttgttaa ctaatgccat atatttgtaa gtatctgcac acttgataca 4440
gcaacgttag atggttttga tggtaaacc taaaggagga ctccaagagt gtgtatttat 4500
ttatagtttt atcagagatg acaattattt gaatgccaat tatatggatt ctttccattt 4560
tttgctggag gatgggagaa gaaaccaaag tttatagacc ttcacattga gaaagcttca 4620
gttttgaact tcagctatca gattcaaaaa caacagaaag aaccaagaca ttcttaagat 4680
gcctgtactt tcagctgggt ataaattcat gagttcaaag attgaaacct gaccaatttg 4740
ctttatttca tggaagaagt gatctacaaa ggtgtttgtg ccatttggaa aacagcgtgc 4800

58183US002.ST25.txt
 atgtgttcaa gccttagatt ggcgatgtcg tattttcctc acgtgtggca atgccaaagg 4860
 ctttacttta cctgtgagta cacactatat gaattatttc caacgtacat ttaatcaata 4920
 agggtcacaa attcccaaat caatctctgg aataaataga gaggtaatta aattgctgga 4980
 gccaaactatt tcacaacttc tgtaagc 5007

<210> 14
 <211> 1049
 <212> PRT
 <213> Homo sapiens

<400> 14

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe
 1 5 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys
 20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile
 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro
 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile
 65 70 75 80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe
 85 90 95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys
 100 105 110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
 115 120 125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln
 130 135 140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile
 145 150 155 160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile
 165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser
 180 185 190

58183US002.ST25.txt

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val
 195 200 205
 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro
 210 215 220
 Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile
 225 230 235 240
 Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu
 245 250 255
 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro
 260 265 270
 Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala
 275 280 285
 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
 290 295 300
 Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp
 305 310 315 320
 Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu
 325 330 335
 His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu
 340 345 350
 Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser
 355 360 365
 Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu
 370 375 380
 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu
 385 390 395 400
 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met
 405 410 415
 Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys
 420 425 430
 Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala
 435 440 445

58183US002.ST25.txt

Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
 450 455 460
 Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys
 465 470 475 480
 Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln
 485 490 495
 Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp
 500 505 510
 Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu
 515 520 525
 Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu
 530 535 540
 Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr
 545 550 555 560
 Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn
 565 570 575
 Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr
 580 585 590
 Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile
 595 600 605
 Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu
 610 615 620
 Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn
 625 630 635 640
 Arg Tyr Leu Gln Leu Phe Lys Asn Leu Leu Lys Leu Glu Glu Leu Asp
 645 650 655
 Ile Ser Lys Asn Ser Leu Ser Phe Leu Pro Ser Gly Val Phe Asp Gly
 660 665 670
 Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys
 675 680 685
 Ser Phe Ser Trp Lys Lys Leu Gln Cys Leu Lys Asn Leu Glu Thr Leu
 Page 33

690 695 58183US002.ST25.txt
 700
 Asp Leu Ser His Asn Gln Leu Thr Thr Val Pro Glu Arg Leu Ser Asn
 705 710 715 720
 Cys Ser Arg Ser Leu Lys Asn Leu Ile Leu Lys Asn Asn Gln Ile Arg
 725 730 735
 Ser Leu Thr Lys Tyr Phe Leu Gln Asp Ala Phe Gln Leu Arg Tyr Leu
 740 745 750
 Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro
 755 760 765
 Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu Leu His His Asn Arg
 770 775 780
 Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His
 785 790 795 800
 Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly
 805 810 815
 Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr
 820 825 830
 Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser
 835 840 845
 Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe
 850 855 860
 Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly
 865 870 875 880
 Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val
 885 890 895
 Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu
 900 905 910
 Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu
 915 920 925
 Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser
 930 935 940

58183US002.ST25.txt

Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys
 945 950 955 960

Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln
 965 970 975

Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu
 980 985 990

Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys
 995 1000 1005

Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro
 1010 1015 1020

Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His
 1025 1030 1035

Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val
 1040 1045

<210> 15
 <211> 3311
 <212> DNA
 <213> Homo sapiens

<400> 15
 ttctgctgctg ctgcaagtta cggaatgaaa aattagaaca acagaaacat ggaaaacatg 60
 ttccttcagt cgtcaatgct gacctgcatt ttcctgctaa tatctgggtc ctgtgagtta 120
 tgcgccgaag aaaatttttc tagaagctat cctgtgtgatg agaaaaagca aaatgactca 180
 gttattgcag agtgcagcaa tcgtcgacta caggaagttc cccaaacggt gggcaaatat 240
 gtgacagaac tagacctgtc tgataatttc atcacacaca taacgaatga atcatttcaa 300
 gggctgcaaa atctcactaa aataaatcta aaccacaacc ccaatgtaca gcaccagaac 360
 ggaaatcccg gtatacaatc aaatggcttg aatatcacag acggggcatt cctcaaccta 420
 aaaaacctaa gggagttact gcttgaagac aaccagttac cccaataacc ctctggtttg 480
 ccagagtctt tgacagaact tagtctaatt caaaacaata tataacaacat aactaaagag 540
 ggcatttcaa gacttataaa cttgaaaaat ctctatttgg cctggaactg ctattttaac 600
 aaagtttgcg agaaaactaa catagaagat ggagtatttg aaacgctgac aaatttgagag 660
 ttgctatcac tatctttcaa ttctctttca cacgtgccac ccaaactgcc aagctcccta 720
 cgaaacttt ttctgagcaa caccagatc aaatacatta gtgaagaaga tttcaaggga 780
 ttgataaatt taacattact agatttaagc gggaactgtc cgaggtgctt caatgcccc 840
 tttccatgctg tgccttgatg tgggtggtgct tcaattaata tagatcggtt tgcttttcaa 900

58183US002.ST25.txt

aacttgaccc aacttcgata cctaaacctc tctagcactt ccctcaggaa gattaatgct	960
gcctggttta aaaatatgcc tcatctgaag gtgctggatc ttgaattcaa ctatttagtg	1020
ggagaaatag cctctggggc atttttaacg atgctgcccc gcttagaaat acttgacttg	1080
tcttttaact atataaaggg gagttatcca cagcatatta atatttccag aaacttctct	1140
aaacttttgt ctctacgggc attgcattta agaggttatg tgttccagga actcagagaa	1200
gatgatttcc agcccctgat gcagcttcca aacttatcga ctatcaactt ggggtattaat	1260
tttattaagc aaatcgattt caaacttttc caaaatttct ccaatctgga aattatttac	1320
ttgtcagaaa acagaatatc accgttggtg aaagataccc ggagaggtta tgcaaatagt	1380
tcctcttttc aacgtcatat ccggaaacga cgctcaacag attttgagtt tgacccacat	1440
tcgaactttt atcattttcac ccgtctttta ataaagccac aatgtgctgc ttatggaaaa	1500
gccttagatt taagcctcaa cagtattttc ttcattgggc caaaccaatt tgaaaatctt	1560
cctgacattg cctgtttaaa tctgtctgca aatagcaatg ctcaagtgtt aagtggaact	1620
gaattttcag ccattcctca tgtcaaatat ttggatttga caaacaatag actagacttt	1680
gataatgcta gtgctcttac tgaattgtcc gacttggag ttctagatct cagctataat	1740
tcacactatt tcagaatagc aggcgtaaca catcatctag aattttattca aaatttcaca	1800
aatctaaaag ttttaaaact gagccacaac aacatttata ctttaacaga taagtataac	1860
ctggaaagca agtccctggg agaattagtt ttcagtggca atcgccctga ctttttgtgg	1920
aatgatgatg acaacaggta tatctccatt ttcaaagggtc tcaagaatct gacacgtctg	1980
gatttatccc ttaatagggt gaagcacatc ccaaagaag cattccttaa ttgcccagcg	2040
agtctcactg aactacatat aaatgataat atgttaaagt tttttaactg gacattactc	2100
cagcagttcc ctcgtctcga gttgcttgac ttacgtggaa acaaactact ctttttaact	2160
gatagcctat ctgactttac atcttccctt cggacactgc tgctgagtca taacaggatt	2220
tcccacctac cctctggctt tctttctgaa gtcagtagtc tgaagcacct cgatttaagt	2280
tccaatctgc taaaaacaat caacaaatcc gcacttgaaa ctaagaccac caccaaatta	2340
tctatgttgg aactacacgg aaaccccttt gaatgcacct gtgacattgg agatttccga	2400
agatggatgg atgaacatct gaatgtcaaa attcccagac tggtagatgt cttttgtgcc	2460
agtcctgggg atcaaagagg gaagagtatt gtgagctgg agctgacaac ttgtgtttca	2520
gatgtcactg cagtgatatt attttcttc acgttcttta tcaccaccat ggttatgttg	2580
gctgccctgg ctacacattt gttttactgg gatgtttggt ttatatataa tgtgtgttta	2640
gctaaggtaa aaggctacag gtctctttcc acatcccaaa ctttctatga tgcttacatt	2700
tcttatgaca ccaaagatgc ctctgttact gactgggtga taaatgagct gcgctaccac	2760

58183US002.ST25.txt

```

cttgaagaga gccgagacaa aaacgttctc ctttgtctag aggagaggga ttgggacccg 2820
ggattggcca tcatcgacaa cctcatgcag agcatcaacc aaagcaagaa aacagtattt 2880
gttttaacca aaaaatatgc aaaaagctgg aactttaaaa cagcttttta cttggctttg 2940
cagaggctaa tggatgagaa catggatgtg attatattta tcctgctgga gccagtgtta 3000
cagcattctc agtatttgag gctacggcag cggatctgta agagctccat cctccagtgg 3060
cctgacaacc cgaaggcaga aggccttggtt tggcaaactc tgagaaatgt ggtcttgact 3120
gaaaatgatt cacggtataa caatatgtat gtcgattcca ttaagcaata ctaactgacg 3180
ttaagtcatg atttcgcgcc ataataaaga tgcaaaggaa tgacatttct gtattagtta 3240
tctattgcta tgtaacaaat tatcccaaaa cttagtgggt taaaacaaca catttgctgg 3300
cccacagttt t 3311

```

<210> 16
 <211> 1041
 <212> PRT
 <213> Homo sapiens

<400> 16

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu
 1 5 10 15

Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg
 20 25 30

Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile Ala Glu
 35 40 45

Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr
 50 55 60

Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile Thr Asn
 65 70 75 80

Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu Asn His
 85 90 95

Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln Ser Asn
 100 105 110

Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn Leu Arg
 115 120 125

Glu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser Gly Leu
 130 135 140

58183US002.ST25.txt

Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile Tyr Asn
 145 150 155 160
 Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn Leu Tyr
 165 170 175
 Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr Asn Ile
 180 185 190
 Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu Ser Leu
 195 200 205
 Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser Ser Leu
 210 215 220
 Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser Glu Glu
 225 230 235 240
 Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn
 245 250 255
 Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys Asp Gly
 260 265 270
 Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu Thr Gln
 275 280 285
 Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile Asn Ala
 290 295 300
 Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu Glu Phe
 305 310 315 320
 Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr Met Leu
 325 330 335
 Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys Gly Ser
 340 345 350
 Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu Leu Ser
 355 360 365
 Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu
 370 375 380
 Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn
 385 390 395 400
 Page 38

58183US002.ST25.txt

Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn
 405 410 415

Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro
 420 425 430

Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln
 435 440 445

Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His
 450 455 460

Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala
 465 470 475 480

Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile
 485 490 495

Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu
 500 505 510

Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala
 515 520 525

Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe
 530 535 540

Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp
 545 550 555 560

Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His
 565 570 575

Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser
 580 585 590

His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys
 595 600 605

Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp
 610 615 620

Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn
 625 630 635 640

Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn
 Page 39

Page 40

58183US002.ST25.txt
Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp Lys Asn
900 905 910
Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu Ala Ile
915 920 925
Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr Val Phe
930 935 940
Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr Ala Phe
945 950 955 960
Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile
965 970 975
Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu Arg Leu
980 985 990
Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro Asp Asn Pro
995 1000 1005
Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn Val Val Leu
1010 1015 1020
Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile
1025 1030 1035
Lys Gln Tyr
1040

<210> 17
<211> 3352
<212> DNA
<213> Homo sapiens

<400> 17
aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60
ggacctcgag tgtgaagcat cttccctgt agctgctgtc cagtctgccc gccagaccct 120
ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180
ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240
ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300
gtgccccact tctccatggc agcaccctgt ggcaatgtca ccagcctttc cttgtcctcc 360
aaccgcatcc accacctcca tgattctgac ttgtcccacc tgcccagcct gcggcatctc 420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg 480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac 540
Page 41

58183US002.ST25.txt

aacaacatca	tgactgtgcc	tgcgctgccc	aaatccctca	tatccctgtc	cctcagccat	600
accaacatcc	tgatgctaga	ctctgccagc	ctcgccggcc	tgcattgccct	gcgcttccta	660
ttcatggacg	gcaactgtta	ttacaagaac	ccctgcaggc	aggcactgga	ggtggccccg	720
ggtgccctcc	ttggcctggg	caacctcacc	cacctgtcac	tcaagtacaa	caacctcact	780
gtggtgcccc	gcaacctgcc	ttccagcctg	gagtattctg	tggtgtccta	caaccgcatc	840
gtcaaaactgg	cgcttgagga	cctggccaat	ctgaccgccc	tgcgtgtgct	cgatgtgggc	900
ggaaattgcc	gccgctgcga	ccacgctccc	aaccctgca	tggagtggcc	tcgtcacttc	960
ccccagctac	atcccgatac	cttcagccac	ctgagccgtc	ttgaaggcct	ggtgttggaag	1020
gacagttctc	tctcctggct	gaatgccagt	tggttccgtg	ggctgggaaa	cctccgagtg	1080
ctggacctga	gtgagaactt	cctctacaaa	tgcattacta	aaaccaaggc	cttcaggggc	1140
ctaacacagc	tgcgcaagct	taacctgtcc	ttcaattacc	aaaagagggt	gtcctttgcc	1200
cacctgtctc	tggccccctc	cttcgggagc	ctggtcgccc	tgaaggagct	ggacatgcac	1260
ggcatcttct	tccgctcact	cgatgagacc	acgctccggc	cactggcccc	cctgccccatg	1320
ctccagactc	tgcgtctgca	gatgaacttc	atcaaccagg	cccagctcgg	catcttcagg	1380
gccttccttg	gcctgcgcta	cgtggacctg	tcggacaacc	gcatcagcgg	agcttcggag	1440
ctgacagcca	ccatggggga	ggcagatgga	ggggagaagg	tctggctgca	gcctggggac	1500
cttgctccgg	ccccagtggg	cactcccagc	tctgaagact	tcaggcccaa	ctgcagcacc	1560
ctcaacttca	ccttggatct	gtcacggaac	aacctggtga	ccgtgcagcc	ggagatgttt	1620
gcccagctct	cgcacctgca	gtgcctgctc	ctgagccaca	actgcatctc	gcaggcagtc	1680
aatggctccc	agttcctgcc	gctgaccggt	ctgcagggtc	tagacctgtc	ccgcaataag	1740
ctggacctct	accacgagca	ctcattcacg	gagctaccgc	gactggaggc	cctggacctc	1800
agctacaaca	gccagccctt	tggcatgcag	ggcgtggggc	acaacttcag	cttcgtggct	1860
cacctgcgca	ccctgcgcca	cctcagcctg	gcccacaaca	acatccacag	ccaagtgtcc	1920
cagcagctct	gcagtacgtc	gctgcggggc	ctggacttca	gcggcaatgc	actgggccat	1980
atgtggggccg	agggagacct	ctatctgcac	ttcttccaag	gcctgagcgg	tttgatctgg	2040
ctggacttgt	cccagaaccg	cctgcacacc	ctcctgcccc	aaaccctgct	caacctcccc	2100
aagagcctac	aggtgctgcg	tctccgtgac	aattacctgg	ccttctttta	gtggtggagc	2160
ctccacttcc	tgcctaaact	ggaagtcttc	gacctggcag	gaaaccggct	gaaggccctg	2220
accaatggca	gcctgcctgc	tggcaccggg	ctccggaggc	tggatgtcag	ctgcaacagc	2280
atcagcttcg	tggcccccg	cttcttttcc	aaggccaagg	agctgcgaga	gctcaacctt	2340
agcgccaacg	ccctcaagac	agtggaccac	tcctggtttg	ggccccctgg	gagtgccttg	2400

58183US002.ST25.txt

```

caaatactag atgtaagcgc caaccctctg cactgcgcct gtggggcggc ctttatggac 2460
ttcctgctgg aggtgcaggc tgccgtgccc ggtctgccca gccgggtgaa gtgtggcagt 2520
ccgggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580
gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640
cccatgctgc atcacctctg tggctgggac ctctggtact gcttcacact gtgcctggcc 2700
tggcttcctt ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760
ttcgtggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820
gggcagctgg aggagtgccg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880
tggctgcctg gcaaaaccct ctttgagaac ctgtgggcct cggctctatgg cagccgcaag 2940
acgctgtttg tgctggccca cacggaccgg gtcagtggtc tcttgcgcg cagcttcctg 3000
ctggcccagc agcgctgct ggaggaccgc aaggacgtcg tggtgctggt gatcctgagc 3060
cctgacggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgccg ccagagtgtc 3120
ctcctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180
ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240
tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300
tggcttgacc ctcccctgct cgctccctc accccacacc tgacacagag ca 3352

```

<210> 18
 <211> 1032
 <212> PRT
 <213> Homo sapiens

<400> 18

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
 85 90 95

58183US002.ST25.txt

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350

58183US002.ST25.txt

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu
 355 360 365
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu
 420 425 430
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu
 435 440 445
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu
 515 520 525
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 Page 45

595 58183US002.ST25.txt 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
835 840 845

58183US002.ST25.txt

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
 850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
 885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
 900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
 995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu
 1025 1030

<210> 19

<211> 3002

<212> DNA

<213> Homo sapiens

<400> 19

gtggcttggt attcactggc aggtttcaga catttagatc tttcttttaa tgactaacac 60

catgcctatc tgtggagaag ctggcaacat gtcacacctg gaaattgttt ttcaacatta 120

atactattat ttggcagtaa tccagattgc ttttgccacc aacctgaaga catatagagg 180

cagaaggaca ggaataattc tatttgtttc ctgttttgaa acttccatct gtaaggctat 240

caaaaggaga tgtgagagag ggtattgagt ctggcctgac aatgcagttc ttaaaccaaa 300

58183US002.ST25.txt

```

gggccattat gcttctcctc tctgagaatc ctgacttacc tcaacaacgg agacatggca 360
cagtagccag cttggagact tctcagccaa tgctctgaga tcaagtcgaa gacccaatat 420
acagggtttt gagctcatct tcatcattca tatgaggaaa taagtggtaa aatccttgga 480
aatacaatga gactcatcag aaacattttac atattttgta gtattgttat gacagcagag 540
ggatgatgctc cagagctgcc agaagaaagg gaactgatga ccaactgctc caacatgtct 600
ctaagaaagg ttcccgaga cttgaccca gccacaacga cactggattt atcctataac 660
ctcctttttc aactccagag ttcagatttt cattctgtct ccaaactgag agttttgatt 720
ctatgccata acagaattca acagctggat ctcaaacct ttgaattcaa caaggagtta 780
agatatttag atttgtctaa taacagactg aagagtgtaa cttggtattt actggcaggt 840
ctcaggtatt tagatctttc ttttaatgac tttgacacca tgcctatctg tgaggaagct 900
ggcaacatgt cacacctgga aatcctaggt ttgagtggg caaaaataca aaaatcagat 960
ttccagaaaa ttgctcatct gcatctaaat actgtcttct taggattcag aactcttctc 1020
cattatgaag aaggtagcct gccatctta aacacaaca aactgcacat tgttttacca 1080
atggacacaa atttctgggt tcttttgcgt gatggaatca agacttcaaa aatattagaa 1140
atgacaaata tagatggcaa aagccaattt gtaagttagt aaatgcaacg aaatcttagt 1200
ttagaaaatg ctaagacatc gggtctattg cttaataaag ttgatttact ctgggacgac 1260
cttttcctta tcttacaatt tgtttggcat acatcagtg aacactttca gatccgaaat 1320
gtgacttttg gtggtgaaggc ttatcttgac cacaattcat ttgactactc aaatactgta 1380
atgagaacta taaaattgga gcatgtacat ttcagagtgt ttacattca acaggataaa 1440
atctatttgc ttttgaccaa aatggacata gaaaacctga caatatcaa tgcacaaatg 1500
ccacacatgc ttttcccgaa ttatcctacg aaattccaat atttaaattt tgccaataat 1560
atcttaacag acgagttgtt taaaagaact atccaactgc ctcaattgaa aactctcatt 1620
ttgaatggca ataaactgga gacactttct ttagtaagtt gctttgctaa caacacaccc 1680
ttggaacact tggatctgag tcaaaatcta ttacaacata aaaatgatga aaattgctca 1740
tggccagaaa ctgtggtcaa tatgaatctg tcatacaata aattgtctga ttctgtcttc 1800
aggtgcttgc caaaagtat tcaaatactt gacctaaata ataaccaa at ccaaactgta 1860
cctaaagaga ctattcatct gatggcctta cgagaactaa atattgcatt taattttcta 1920
actgatctcc ctggatgcag tcatttcagt agactttcag ttctgaacat tgaaatgaac 1980
ttcattctca gccatctct ggattttgtt cagagctgcc aggaagttaa aactctaaat 2040
gcgggaagaa atccattccg gtgtacctgt gaattaaaaa atttcattca gcttgaaaca 2100
tattcagagg tcatgatggg tggatgggtc gattcataca cctgtgaata ccctttaaac 2160

```

58183US002.ST25.txt

```

ctaaggggaa ttaggttaaa agacgttcat ctccacgaat tatcttgcaa cacagctctg 2220
ttgattgtca ccattgtggt tattatgcta gttctggggg tggctgtggc cttctgctgt 2280
ctccactttg atctgccctg gtatctcagg atgctaggtc aatgcacaca aacatggcac 2340
agggtttaga aaacaacca agaacaactc aagagaaatg tccgattcca cgcattttatt 2400
tcatacagtg aacatgattc tctgtgggtg aagaatgaat tgatcccaa tctagagaag 2460
gaagatggtt ctatcttgat ttgcctttat gaaagctact ttgaccctgg caaaagcatt 2520
agtgaaaata ttgtaagctt cattgagaaa agctataagt ccatctttgt tttgtctccc 2580
aactttgtcc agaatgagtg gtgccattat gaattttact ttgccacca caatctcttc 2640
catgaaaatt ctgatcatat aattcttatt ttactggaac ccattccatt ctattgcatt 2700
cccaccaggt atcataaact gaaagctctc ctggaaaaaa aagcatactt ggaatggccc 2760
aaggataggc gtaaagtgtg gcttttctgg gcaaaccctc gagctgctat taatgttaat 2820
gtattagcca ccagagaaat gtatgaactg cagacattca cagagttaaa tgaagagtct 2880
cgaggttcta caatctctct gatgagaaca gattgtctat aaaatcccac agtccttggg 2940
aagttgggga ccacatacac tgttgggatg tacattgata caacctttat gatggcaatt 3000
tg 3002

```

<210> 20
 <211> 811
 <212> PRT
 <213> Homo sapiens

<400> 20

Met Arg Leu Ile Arg Asn Ile Tyr Ile Phe Cys Ser Ile Val Met Thr
 1 5 10 15

Ala Glu Gly Asp Ala Pro Glu Leu Pro Glu Glu Arg Glu Leu Met Thr
 20 25 30

Asn Cys Ser Asn Met Ser Leu Arg Lys Val Pro Ala Asp Leu Thr Pro
 35 40 45

Ala Thr Thr Thr Leu Asp Leu Ser Tyr Asn Leu Leu Phe Gln Leu Gln
 50 55 60

Ser Ser Asp Phe His Ser Val Ser Lys Leu Arg Val Leu Ile Leu Cys
 65 70 75 80

His Asn Arg Ile Gln Gln Leu Asp Leu Lys Thr Phe Glu Phe Asn Lys
 85 90 95

Glu Leu Arg Tyr Leu Asp Leu Ser Asn Asn Arg Leu Lys Ser Val Thr
 Page 49

58183US002.ST25.txt

100 105 110

Trp Tyr Leu Leu Ala Gly Leu Arg Tyr Leu Asp Leu Ser Phe Asn Asp
 115 120 125

Phe Asp Thr Met Pro Ile Cys Glu Glu Ala Gly Asn Met Ser His Leu
 130 135 140

Glu Ile Leu Gly Leu Ser Gly Ala Lys Ile Gln Lys Ser Asp Phe Gln
 145 150 155 160

Lys Ile Ala His Leu His Leu Asn Thr Val Phe Leu Gly Phe Arg Thr
 165 170 175

Leu Pro His Tyr Glu Glu Gly Ser Leu Pro Ile Leu Asn Thr Thr Lys
 180 185 190

Leu His Ile Val Leu Pro Met Asp Thr Asn Phe Trp Val Leu Leu Arg
 195 200 205

Asp Gly Ile Lys Thr Ser Lys Ile Leu Glu Met Thr Asn Ile Asp Gly
 210 215 220

Lys Ser Gln Phe Val Ser Tyr Glu Met Gln Arg Asn Leu Ser Leu Glu
 225 230 235 240

Asn Ala Lys Thr Ser Val Leu Leu Leu Asn Lys Val Asp Leu Leu Trp
 245 250 255

Asp Asp Leu Phe Leu Ile Leu Gln Phe Val Trp His Thr Ser Val Glu
 260 265 270

His Phe Gln Ile Arg Asn Val Thr Phe Gly Gly Lys Ala Tyr Leu Asp
 275 280 285

His Asn Ser Phe Asp Tyr Ser Asn Thr Val Met Arg Thr Ile Lys Leu
 290 295 300

Glu His Val His Phe Arg Val Phe Tyr Ile Gln Gln Asp Lys Ile Tyr
 305 310 315 320

Leu Leu Leu Thr Lys Met Asp Ile Glu Asn Leu Thr Ile Ser Asn Ala
 325 330 335

Gln Met Pro His Met Leu Phe Pro Asn Tyr Pro Thr Lys Phe Gln Tyr
 340 345 350

58183US002.ST25.txt
 Leu Asn Phe Ala Asn Asn Ile Leu Thr Asp Glu Leu Phe Lys Arg Thr
 355 360 365
 Ile Gln Leu Pro His Leu Lys Thr Leu Ile Leu Asn Gly Asn Lys Leu
 370 375 380
 Glu Thr Leu Ser Leu Val Ser Cys Phe Ala Asn Asn Thr Pro Leu Glu
 385 390 395 400
 His Leu Asp Leu Ser Gln Asn Leu Leu Gln His Lys Asn Asp Glu Asn
 405 410 415
 Cys Ser Trp Pro Glu Thr Val Val Asn Met Asn Leu Ser Tyr Asn Lys
 420 425 430
 Leu Ser Asp Ser Val Phe Arg Cys Leu Pro Lys Ser Ile Gln Ile Leu
 435 440 445
 Asp Leu Asn Asn Asn Gln Ile Gln Thr Val Pro Lys Glu Thr Ile His
 450 455 460
 Leu Met Ala Leu Arg Glu Leu Asn Ile Ala Phe Asn Phe Leu Thr Asp
 465 470 475 480
 Leu Pro Gly Cys Ser His Phe Ser Arg Leu Ser Val Leu Asn Ile Glu
 485 490 495
 Met Asn Phe Ile Leu Ser Pro Ser Leu Asp Phe Val Gln Ser Cys Gln
 500 505 510
 Glu Val Lys Thr Leu Asn Ala Gly Arg Asn Pro Phe Arg Cys Thr Cys
 515 520 525
 Glu Leu Lys Asn Phe Ile Gln Leu Glu Thr Tyr Ser Glu Val Met Met
 530 535 540
 Val Gly Trp Ser Asp Ser Tyr Thr Cys Glu Tyr Pro Leu Asn Leu Arg
 545 550 555 560
 Gly Ile Arg Leu Lys Asp Val His Leu His Glu Leu Ser Cys Asn Thr
 565 570 575
 Ala Leu Leu Ile Val Thr Ile Val Val Ile Met Leu Val Leu Gly Leu
 580 585 590
 Ala Val Ala Phe Cys Cys Leu His Phe Asp Leu Pro Trp Tyr Leu Arg
 595 600 605

58183US002.ST25.txt

Met Leu Gly Gln Cys Thr Gln Thr Trp His Arg Val Arg Lys Thr Thr
610 615 620

Gln Glu Gln Leu Lys Arg Asn Val Arg Phe His Ala Phe Ile Ser Tyr
625 630 635 640

Ser Glu His Asp Ser Leu Trp Val Lys Asn Glu Leu Ile Pro Asn Leu
645 650 655

Glu Lys Glu Asp Gly Ser Ile Leu Ile Cys Leu Tyr Glu Ser Tyr Phe
660 665 670

Asp Pro Gly Lys Ser Ile Ser Glu Asn Ile Val Ser Phe Ile Glu Lys
675 680 685

Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro Asn Phe Val Gln Asn Glu
690 695 700

Trp Cys His Tyr Glu Phe Tyr Phe Ala His His Asn Leu Phe His Glu
705 710 715 720

Asn Ser Asp His Ile Ile Leu Ile Leu Leu Glu Pro Ile Pro Phe Tyr
725 730 735

Cys Ile Pro Thr Arg Tyr His Lys Leu Lys Ala Leu Leu Glu Lys Lys
740 745 750

Ala Tyr Leu Glu Trp Pro Lys Asp Arg Arg Lys Cys Gly Leu Phe Trp
755 760 765

Ala Asn Leu Arg Ala Ala Ile Asn Val Asn Val Leu Ala Thr Arg Glu
770 775 780

Met Tyr Glu Leu Gln Thr Phe Thr Glu Leu Asn Glu Glu Ser Arg Gly
785 790 795 800

Ser Thr Ile Ser Leu Met Arg Thr Asp Cys Leu
805 810

<210> 21
<211> 215
<212> DNA
<213> Homo sapiens

<400> 21
aaaaacaaaa catttgagaa acacggctct aaactcatgt aaagagtgca tgaaggaaag 60
caaaaacaga aatggaaagt ggcccagaag cattaagaaa gtggaaatca gtatgttccc 120

58183US002.ST25.txt

tatttaaggc atttcagga agcaaggcct tcagagaacc tagagcccaa ggttcagagt 180

cacccatctc agcaagccca gaagtatctg caata 215

<210> 22

<211> 36

<212> DNA

<213> Artificial

<220>

<223> 5' primer for human IFN-alpha promoter

<400> 22

acgagatcta agcttaaaac aaaacatttg agaaac 36

<210> 23

<211> 28

<212> DNA

<213> Artificial

<220>

<223> 3' primer for human IFN-alpha promoter

<400> 23

acgagatcta gatattgcag atacttct 28